

**BATTERY
POWERED
FOR EVEN COVERAGE**

BATTERIES
INCLUDED



Preen®

**Southern
WEED PREVENTER**
CONTROLADOR DE MALEZAS DE JARDIN

Use around flowers, trees & shrubs



Prevents weeds*
up to 4 months

Net Wt.
4.75 lbs.
(2.15 kg)

BONUS SIZE
COVERS **1120** SQ.FT.

KEEP OUT OF
REACH OF CHILDREN

CAUTION See back panel for First Aid and
additional Precautionary Statements.

ACTIVE INGREDIENT:
Dithiopyr27%
OTHER INGREDIENTS: . . .99.73%
TOTAL100.00%

**NOT FOR USE ON VEGETABLE
GARDENS OR LAWNS**

* SEE USE DIRECTIONS FOR COMPLETE LIST
OF TREATED WEEDS.

Preen®

SOUTHERN WEED PREVENTER

Not for use on vegetable gardens or lawns.

Precautionary Statements Hazards to Humans and Domestic Animals CAUTION

Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid

If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.	

Environmental Hazards

This product is toxic to fish. Drift and runoff may adversely affect aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help to ensure that wind does not blow pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the garden will help to prevent run off to water bodies or drainage systems.

PREEN GUARANTEE

To the extent consistent with applicable law, Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland St., Lebanon, PA 17042.

To the extent consistent with applicable law, the manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the face hereof. All statements made concerning this product apply only when used as directed.

Manufactured by / Fabricado por:
LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042

1-800-233-1067 • www.preen.com

i11

CAS No. 97886-45-8

EPA Reg. No. 961-410

(L) (D)

EPA Est. 961-PA-01:961-IL-01

Superscript used is first letter of lot number.

Preen® is a registered trademark of Lebanon Seaboard Corporation

SEE INSIDE BOOKLET FOR COMPLETE DIRECTIONS FOR USE AND PLANT LISTINGS
VEA EL FOLLETO EN EL INTERIOR PARA CONOCER LAS RECOMENDACIONES DE USO, LAS LISTAS DE PLANTAS

LIFT HERE TO OPEN Tira de aquí para abrir PRESS TO RESEAL PRESIONE PARA VOLVER A CERRAR

Precautionary Statements Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Directions for Use

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Refill Instructions

This container with applicator cap is reusable with Preen Southern Weed Preventer. Refill the container with desired amount of this product and use as directed. When done, store or dispose this container as listed on the label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

Pesticide Disposal and Container Handling: Nonrefillable container. Do not reuse or refill this container except as described in the DIRECTIONS FOR USE (see Refill Instructions).

If Empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



PROOF OF PURCHASE
COMPROBANTE DE COMPRA

EPA Reg. No. 961-410
CAS No. 97886-45-8

i11

(L) (D)

EPA Est. No. 961-PA-01:961-IL-01
Superscript used is first letter of lot number.
LEBANON SEABOARD CORPORATION
1600 E. Cumberland St.
Lebanon PA, 17042
1-800-233-1067

Preen® is a registered trademark
of Lebanon Seaboard Corporation.

Product Information

Preen Southern Weed Preventer prevents most weeds from germinating for up to 4 months in flower beds, and around ground covers, trees and shrubs. Although this product will not kill existing weeds, it will prevent new listed weeds from sprouting – eliminating the need for difficult and time-consuming hand weeding. Without weeds, your valuable plants can grow larger and stronger. Your beds will stay neat and weed-free* all season long.

*See use directions for complete list of treated weeds.

Precautions and Restrictions

Not for use on plants being grown for sale or other commercial use, or for commercial seed production or for research purposes. For use on plants intended for aesthetic purposes or climatic modifications and being grown in ornamental gardens. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

**For Residential and Household Use
Not for use on vegetable gardens or lawns.**

Only apply Preen Southern Weed Preventer to established ornamental plants listed on this label. Do not apply to plants that are under stress. Do not over-apply or mix this product into the soil, as injury may occur to plants which are sensitive to Preen Southern Weed Preventer. **This product is not for use on vegetable gardens or lawns,** or for use in enclosed areas, such as greenhouses. Do not apply another herbicide within 4 weeks of application of this product.

Do not apply more than 4.25 lbs. of this product per 1,000 sq. ft. per application, and no more than 12.75 lbs. of this product per 1,000 sq. ft. per year.

In the state of New York, do not apply more than 2.1 lbs. per 1,000 sq. ft. per year (equivalent to 0.25 pounds of active ingredient per acre). Use of this product in Nassau and Suffolk counties of New York is prohibited.

Entry Restrictions

Do not allow people or pets to enter the treated area until dusts have settled. If product is watered-in, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

Weeds Controlled

Grassy weeds:	Buttercup	Crowfootgrass	Yellow	Sandbur
Barley	Crabgrass:	Dallisgrass	Kikuyugrass	Smutgrass,
Barnyardgrass	Large,	(seedling)	Oats, Wild	
Bluegrass, Annual	Smooth,	Goosegrass	Ryegrass:	
Brome	Southern	Foottail: Green,	Annual, Perennial	

Broadleaf weeds:	Lespedeza, Common	Parsely-piert	Spotted
Bittercress	Lambquarters	Purslane, Common	Woodsorrel:
Carpetweed	Marestail	Rocket, London	Creeping, Yellow
Chickweed	Medic, Black	Shepherdspurse	
Geranium, Carolina	Mustard	Speedwell, Corn	
Henbit	Pineappleweed	Spurge: Garden,	
Knotweed, Prostrate	Pigweed, Redroot	Prostrate,	

Preen Southern Weed Preventer is suggested for use around these established plants

Bulbs, Flowers, Herbs, Ground Covers & Ornamental Grasses –

<p>Ajuga: Bronze, Beach Grass</p> <p>Bronze Beauty</p> <p>Aster, Chinese: Dwarf Queen</p> <p>Basket Flower</p> <p>Bee Balm</p> <p>Begonia</p> <p>Black-eyed Susan: Goldstrum</p> <p>Blanket Flower</p> <p>Blue Fescue</p> <p>Bugle Carpet</p> <p>Carex, Variegated</p> <p>Celosia</p> <p>Centaura</p> <p>Cockscomb, Plumosa: Scarlet plumosa</p> <p>Coleus: Red Kewpie</p> <p>Columbine</p> <p>Coreopsis: Moonbeam</p> <p>Corn Flower</p> <p>Cotoneaster</p> <p>Daffodil: King Alfred</p> <p>Daylily: Aztec Gold, Bright yellow (hybrid), Single gold (evergreen), Wilson's Yellow</p> <p>Dianthus (Sweet William)</p>	<p>Delphinium: Magic fountain</p> <p>Dusty miller</p> <p>Fern (various)</p> <p>Fescue</p> <p>Fountain Grass</p> <p>Galium</p> <p>Geranium</p> <p>Hosta: Albo Marginata</p> <p>Ice plant</p> <p>Impatiens</p> <p>Iris: Dwarf blue, Wedgewood</p> <p>Ivy, English: Bulgaria, Thordale</p> <p>Jasmine, Asian</p> <p>Lily, African: Lily, African blue</p> <p>Lilyturf: Evergreen giant, Lilac beauty, Majestic, Monroe white, Variegata</p> <p>Liriope, Green</p> <p>Marigold: Honeycomb, Variegata, Wheeler's dwarf</p> <p>Mondo Grass</p> <p>Moss Rose: Sunnyside</p> <p>Narcissus</p> <p>Osteospermum: Wirligig</p> <p>Pachysandra</p>	<p>Pampas grass</p> <p>Pansy</p> <p>Periwinkle, Dwarf</p> <p>Petunia: Picoti</p> <p>Ribbon grass</p> <p>Rockcress: Snowcap</p> <p>Salvia: Rhea</p> <p>Sedum: Dragon blood red, Red carpet, Yellow</p> <p>Snapdragon</p> <p>Sweetflag, Grassy-Le</p> <p>Trumpet flower, Evening</p> <p>Tulip: Apeldoorn</p> <p>Tufted hairgrass</p> <p>Vervain: St. Paul</p> <p>Vinca (Periwinkle)</p> <p>Yarrow</p>
--	--	---

Shrubs –

<p>Abelia, Dwarf: Nana</p> <p>Arborvitae: Nigra, Pyramidalis, Smaragh, Tchny, Woodwardii</p> <p>Arborvitae, Golden</p> <p>Azalea: Brilliant, Buccaneer, Carror, Chimes (Belgian), Elsie Lee, Exbury, Fashion, Hardijzer Beauty, Hershey Red, Higasa, Hinocrimson, Holland (Hybrid), Marion Lee, Northern lights, Orange Cup, Orchid Lights, Snow, Southern charm</p> <p>Azalea, Flame</p> <p>Azalea, Kirishima</p> <p>Bamboo, Heavenly</p> <p>Barberry: Aurea, Dwarf Pigmy, Green, Kobold, Pygmy Red, Rose Glow</p> <p>Barberry, Purple: Atropurpurea</p> <p>Bearberry (common): Massachusetts</p> <p>Bottlebrush</p> <p>Boxwood, Japanese</p> <p>Boxwood, Weller</p> <p>Broom: Moonlight, Vancouver Gold</p> <p>Camellia: Debutante, Mathotiana Supreme, Chansonette</p> <p>Gandy Tuft: Snow White</p> <p> Cedar, Red</p> <p>Copper Leaf</p> <p>Çoyotebrush</p> <p>Çycads</p> <p>Euonymus: Argenteo-variegata, Auereo-marginata, Colorata, Emerald Gaiety, Emerald ëN Gold, Gold Edge, Gold Princess, Silver King, Tricolor, Vegetus</p> <p>Fetterbush: Rainbow</p> <p>Forsythia: Arnold Dwarf,</p>	<p>Bronxensis Dwarf, Lynwood Gold, Meadowlark, Weeping</p> <p>Fuchsia</p> <p>Gardenia: Mystery, Radicans</p> <p>Heather, Twisted: Mediterranean Pink</p> <p>Hibiscus: Blue bird, Brilliant, Hula girl</p> <p>Holly: Blue boy, Blue girl, Burfordii, China girl, Compacta, Forsteri, Hellerie, Japanese Northern Beauty, Needlepoint, Nellie R. Stevens, Savannah</p> <p>Holly, Chinese</p> <p>Holly, Japanese</p> <p>Holly, Yaupon</p> <p>Honeysuckle: Claveyis Dwarf, Halliana, Tatarian Canadian White, Zebelli Red Hosta</p> <p>Juniper: Arcadia, Armstrong, Bar Harbor, Blue Chip, Blue Pacific, Blue Rug, Blue Star, Broadmoor, Buffalo, Calgary Carpet, Emerald Sea, Emerald Spreader, Endora Compacta, Fruitlandi, Green, Gold Tip, Hetzi, Hughes, Manhattan Blue, Parsoni, Pitzeriana, Plumosa, Prince of Whales, Procumbens Dwarf, San Jose, Sargent Blue, Sargent Green, Scandia, Scopulorum Moonglow, Scopulorum Skyrocket, Spartan, Tamariscifolia, Weberi, Youngstown, Yukon Belle</p> <p>Laurel, Australian</p> <p>Leucothoe</p> <p>Ligustrum, Japanese</p> <p>Lily of the Valley: Mt. Fire</p>	<p>Myrtle, Crape: Faurei, Langer, Muskogee, Standard Pink</p> <p>Myrtle, Wax</p> <p>Nandina: Compacta, Nana</p> <p>Oleander: Hardy Red, Petite Pink, Sister Agnes</p> <p>Paper Flower: Barbara Karst</p> <p>Photinia, Red tip</p> <p>Pieris</p> <p>Pine: Mugho</p> <p>Pine, Swiss Mt.</p> <p>Pineapple, Guava</p> <p>Pittosporum, Japan</p> <p>Potentilla: Abbotswood</p> <p>Privet: Golden Vicary, Regal, Texanum, Wax, Yellow Tipped</p> <p>Privet, Glossy</p> <p>Pyracantha: Gnome, Lalandei, Victory</p> <p>Rhododendron: Album, Cunningham White, Fashion, Hardy, PJM, Purple Gem, Silvery Pink</p> <p>Rhododendron, Carolina</p> <p>Rhododendron, Catawba</p> <p>Rodie Max (Rosebay)</p> <p>Rose: Luta</p> <p>Rosemary, Bog: Nana</p> <p>Spiraea: Anthony Waterer, red, Dolchica, Fanail, Froebel Pink, Goldenflame Red, Snowmound White, Van Houtte White</p> <p>Spiraea, Garland</p> <p>Verbena, Shrub</p> <p>Virburnum: American Cranberry Bush, Arrowwood, Common snowball, European cranberry bush, Linden, Mohican, Wright</p> <p>Xylosma</p> <p>Yaupon: Dwarf</p> <p>Yew: Denisiformis</p>
---	---	---

Trees -

Almond, Flowering
Ash: Green, Mountain,
Purple
Birch, River
Cypress, Bald
Cypress, Italian: Glauca
Cypress, Japanese false:
Gracilis
Cypress, Leyland
Dogwood
Dogwood, American:
Flaviramia
Douglas Fir
Elm, Drake
Fan Palm, European
Fan Palm, Mexican
Ficus
Fir Fraser
Gum

Hawthorn: Cocksbur White,
Crimson Cloud,
Enchantress, Jack Evans,
Washington White
Hemlock, Canada
King Palm
Maple, Japanese
Maple, Norway
Maple, Red
Maple, Silver
Maple, Sugar
Oak, Laurel
Oak, Pin
Oak, Red
Oak, Southern L
Oak, Willow
Palm, Bangalow
Pine, Australian
Pine, Japanese Black

Pine, Loblolly
Pine, Longleaf
Pine, Scotch
Pine, Slash
Pine, Virginia
Pine, White
Queen Palm
Sourwood
Spruce: Black Hills
Spruce, Colorado blue
Spruce, Norway
Spruce, White
Sweetgum
Sycamore
Tree fern (Tiki fern)
Windmill Palm

Nonbearing Fruit and Nut Trees and Plants¹ -

Apple	Northland	Peach
Blueberry: Bluecrop, Blue	Mock orange: Golden,	Quince, Japanese
Jay, Jersey, North Blue,	Snowflake Double White	Rosemary

¹Ornamental species only: Do not use on food producing trees and ornamentals.

When to Apply Preen Southern Weed Preventer

Apply Preen Southern Weed Preventer during the growing season only around established plants. Preen Southern Weed Preventer should not be used on flower seeds. It can be used after flowering plants have germinated and are 2-3 inches tall. Since it does not kill existing weeds, you must first remove any that have already begun to grow. By applying Preen Southern Weed Preventer as early as possible, you can eliminate the need for hand weeding. Rain does not wash this product out of the soil.

To keep ornamental beds weed-free* all season long, reapply Preen Southern Weed Preventer every 4 months.

*See use directions for complete list of treated weeds.

How to Apply Preen Southern Weed Preventer

To avoid plant injury, do not apply Preen Southern Weed Preventer when foliage is wet. When plants are dry, sprinkle Preen Southern Weed Preventer on soil surface at rate given below. Once activated by watering, Preen Southern Weed Preventer forms a weed control barrier in the top layer of soil, preventing weed seeds from germinating. Disturbance to the soil surface after activation may result in erratic weed control.

Applying Around Established Plants

For flowers, roses, herbs, ground covers, ornamental grasses, shrubs and trees: sprinkle Preen Southern Weed Preventer evenly over the entire soil surface, at the rate of 0.68 oz. per 10 sq. ft. (see picture on right), being sure to keep granules away from plant roots and foliage. Water Preen Southern Weed Preventer into soil surface. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.



Surface application rate
Sprinkle Preen Southern
Weed Preventer as shown
on soil surface.

Applying Preen Southern Weed Preventer with Mulch

For best weed control, apply Preen Southern Weed Preventer after spreading mulch on your flower and shrub beds. Sprinkle Preen Southern Weed Preventer on top of mulch at surface rate (see picture above), being sure to keep granules away from plant foliage. Water Preen Southern Weed Preventer into mulch. Always wash or brush stray granules from plant foliage to avoid damage or discoloration.

PREEN SUR PREVENTOR DE MALEZAS

En el estado de Nueva York, no aplique más de 2.1 kg por cada 1.000 pies cuadrados por año. En los condados de Nassau y Suffolk del estado de Nueva York, el uso de este producto está prohibido.

Mantenga fuera del alcance de los niños.
PRECAUCIÓN

Peso neto: 2,15 kg (4,75 lbs)
Rinde 104 m²

Ingrediente activo:

ditiopir	0,27%
Otros ingredientes:.....	99,73%
Total.....	100,00%

Para uso residencial y de uso doméstico
No para su uso en huertos o jardines.

** Vea las instrucciones de uso para la lista completa de las malezas tratadas.*

Preen® es una marca registrada de
Lebanon Seaboard Corporation.

Instrucciones de uso

Constituye violación de la Ley Federal utilizar este producto de cualquier manera distinta a la estipulada en la etiqueta.

Instrucciones para rellenar

Este recipiente con tapa aplicador se puede reutilizar con Preventor Preen malezas del Sur. Llene el recipiente con la cantidad deseada del producto y el uso como se indica. Cuando haya terminado, almacenar o eliminar este contenedor como se indica en la etiqueta.

ALMACENAMIENTO Y ELIMINACIÓN

No contamine agua, comida o forraje por almacenamiento y eliminación.

ALMACENAMIENTO DE PESTICIDAS: Almacenar el producto en su envase original en un lugar fresco, seco y bajo llave fuera del alcance de los niños y los animales.

Pesticidas de uso y manipulación de contenedores: contenedores rellenables. No vuelva a usar o rellenar este contenedor, excepto como se describe en las instrucciones de uso (ver Instrucciones de recarga). **Si está vacío:** Coloque en la basura u ofrezca para reciclaje si está disponible. **Si está parcialmente lleno:** Llame a su agencia local de desechos sólidos para obtener instrucciones de eliminación. Nunca vierta el producto no utilizado en drenajes interiores y exteriores.

Información del producto

Preen Preventor de malezas Sur impide la germinación de las malezas de hasta 4 meses en macizos de flores, y alrededor de las cubiertas de tierra, árboles y arbustos. Aunque este producto no mata las malezas existentes, se evitará que nuevos brotes de las malezas indicadas - eliminando la necesidad de desmalezado manual difícil y lleva mucho tiempo. Sin malas hierbas, las plantas valiosas puede crecer más grande y más fuerte. Sus camas se quedará* limpio y libre de malezas, durante toda la temporada.

Precauciones y restricciones

No lo utilice en plantas que se hayan cultivado para la venta u otro uso comercial, para la producción comercial de semillas ni para fines de investigación. Para uso en plantas destinadas para fines estéticos o plantaciones climáticas y que se estén cultivando en jardines ornamentales. No aplique el producto de ninguna forma que pueda entrar en contacto con personas o mascotas, ya sea de forma directa o indirecta. Mantenga a las personas y mascotas fuera del área en el momento de la aplicación.

¡Sólo se aplican Preventor Preen malezas del Sur para establecer las plantas ornamentales que figuran en esta etiqueta. No se aplican a las plantas que están bajo estrés. No sobre aplicar o mezclar este producto en el suelo, como las lesiones pueden ocurrir a las plantas que son sensibles a Preen Preventor de malezas del Sur. Este producto no es para su uso en huertos o jardines, o para su uso en lugares cerrados, tales como invernaderos. No aplicar otro herbicida dentro de las 4 semanas de aplicación de este producto.

No aplique más de 1.93 kg de este producto por cada 93 m² por aplicación y no más de 5,81 kg de este producto por cada 93 m² por año.

En el estado de Nueva York, no se aplican más de 2.1 lbs. por cada 1.000 pies cuadrados por año (equivalente a 0,25 libras de ingrediente activo por acre). El uso de este producto en condados de Nassau y Suffolk de Nueva York está prohibido.

Restricciones de ingreso

No permita que las personas o mascotas ingresen al área tratada hasta que el polvo se haya asentado. Si el producto se riega, no entre ni permita que otros entren en las áreas tratadas (excepto quienes deben regar el producto) hasta que se haya finalizado el regado y la superficie esté seca.

Malezas que controla

Malezas herbosas:	digitaria	pasto miel	avena silvestre
Cebada	sanguinalis,	(<i>plántula</i>)	ballico: anual,
capín arroz	digitaria	galium aparine	perenne
césped azul anual	ischaemum,	cola de zorro:	cenchrus
bromus	digitaria ciliaris	setaria viridis,	pasto alambre
ranunculus	dactyloctenium	setaria pumila	
digitaria:	aegypticum	césped kikuyu	
Malezas de hoja ancha:	lespedeza común	aphanes arvensis	hirta, euphorbia
mastuerzo amargo	quinoa blanca	verdolaga	supina, euphorbia
verdolaga alfombra	conya canadensis	portulaca	maculata;
pamplina	medicago lupulina	oleracea	aleluya: vinagrillo,
geranio carolina	mostaza	matacandil	amarilla
ortiga mansa	hierba de la piña	bolsa de pastor	
polygonum,	amaranto,yuyo	verónica	
sanguinaria	colorado	tártago: euphorbia	

Se sugiere el PREEN SUR PREVENTOR DE MALEZAS para uso alrededor de plantas crecidas de las especies a continuación

Bulbos, flores, hierbas, cubiertas vegetales y céspedes ornamentales:

Ajuga: Bronze, Beach Grass	Single gold (perenne), Wilson's Yellow	caléndula: hierba Mondo
Bronze Beauty	ciavelina	portulaca grandiflora: Sunnyside
callistephus chinensis: Queen enana; Basket Flower	Delphinium: Magic fountain	narciso
Bee Balm	senecio	osteospermum: Wirligig
Begonia	helecho (diversos)	pachysandra
gallardia aristata	festuca	pasto de las pampas
festuca glauca	peniseto Fountain	pensamiento
ajuga reptans	Grass galium	vinca enana
carex halleriana	Geranio	petunia: Picoti
celosia	hosta: Albo marginata	phalaris arundinacea: jaramago: Snowcap
centaura	cryophitum crystalinum	salvia: Rhea
cresta de gallo,	alegria	sedum: Dragon blood red, Red carpet, Yellow
Plumoso: Scarlet plumose	iris: blue enana, Wedgewood	Snapdragon
cóleo: Red Kewpie	hiedra: Bulgaria, Thorndale jazmín	acorus Grass-Le
Columbine	asiático	madreselva Evening
Coreopsis: Moonbeam	agapanto: agapantho azul	liriope: perenne gigante,
albastrea	liriope: perenne gigante,	Lilac beauty, Majestic,
cotoneaster	Lilac beauty, Majestic,	Monroe white, Variegata
narciso: King Alfred	liriope verde	
azucena: Aztec Gold, Bright yellow (híbrida),		

Arbustos:

abelia enana: Nana	Meadowlark, Weeping	Langer, Muskogee,
arborvitae: Nigra,	fuchsia	Standard Pink
Pyramidalis, Smaragd,	gardenia: Mystery,	morella cerifera nandina:
Techny, Woodwardii	Radicans	Compacta, Nana
arborvitae, Golden	brezo retorcido:	adelfa: Hardy Red,
azalea: Brilliant,	Mediterranean Pink	Petite Pink, Sister Agnes
Buccaneer, Carror,	hibisco: Blue bird,	Buganvilla: Barbar Karst
Chimes (Belgian), Elsie	Brilliant, Hula girl	Fotinia de punta roja
lee, Exbury, Fashion,	acebo: Blue boy, Blue girl,	Pieris
Hardijzer Beauty,	Burfodii, China girl,	Pino: Mugho
Hershey Red, Higasa,	Compacta, Forsteri,	pino de montaña
Hinocrimson, Holland	Hellerie, Japanese	piña, guayaba
(híbrida), Marion lee,	northern beauty,	pitosporo japonés
Northern lights, Orange	Needlepoint, Nellie R.	potentilla: Abbotswood
cup, Orchid Lights,	Stevens, Savannah	ligustro: Golden Vicary,
Snow, Southern charm	acebo chino	Regal, Texanum, Wax,
azalea Flame	acebo japonés	Yellow Tipped
azalea Kirishima bambú	acebo yaupon	ligustro lucidum
Heavenly agracejo:	madreselva: Claveyis	piracanta: Gnome,
Aurea Pigmy enana,	enana, Halliana, Tatarian	Lalandei, Victory
Green, Kobold, Pygmy	Canadian White, Zebelli	rododendro: Album,
red, Rose glow agracejo	Red Hosta	Cunningham White,
Purple: Atropurpurea	enebro: Arcadia,	Fashion, Hardy, PJM,
agracejo (común):	Armstrong, Bar Harbor,	Purple Gem, Silvery
Massachusetts	Blue chip, Blue pacific,	Pink;
calistemus	Blue rug, Blue star,	rododendro Carolina
arbusto madera de Boj	Broadmoor, Buffalo,	rododendro Catawba
japonés y Weller	Calgary carpet, Emerald	rododendro maximum
retama: Moonlight,	sea, Emerald spreader,	(rosebay)
Vancouver Gold camelia:	Endora compacta,	rosa: Luta
Debutante, Mathotiana	Fruitlandi, Green, Gold	andromeda polifolia:
Supreme, Chansonette	tip, Hetzi, Hughes,	Nana
cestillo de plata:	Manhattan blue, Parsoni,	espirea: Anthony Waterer
Snow White	Procumbens Enana, San	red, Dolchica, Fanail,
cedro Red	Jose, Sargent Blue,	Froebeli Pink,
acalypha	Sargent Green, Scandia,	Goldenflame Red,
arbusto de coyote cymas	Scopulorum Moonglow,	Snowmound White,
evónimo: Argenteo	Scopulorum Skyrocket,	Van Houtte White
variegata,	Spartan, Tamariscifolia,	espirea garland
Aereo-marginata,	Weberi, Youngstown,	arbusto verbena
Colorata, Emerald	Yukon Belle	viburno: American
Gaiety, Emerald n	laurel australiano	Cranberry Bush,
Gold, Gold Edge, Gold	laurel de montaña	Arrowood, Common
Princess, Silver king,	Leucothoe	snowball, European
Tricolor, Vegetus	Ligustro japonés	cranberry bush,
ericaceae: Rainbow	lirio del valle: Mt. Fire	Linden, Mohican, Wright,
Forsitia: Arnold Dwarf,	árbol de Júpiter: Faurei,	
Bronxensis enana,		
Lynwood Gold,		

Árboles:

almendro de flor fresco:	hawthorn: Cockspur	pino negro japonés
Green, Mountain, Purple	White, Crimson Cloud,	pino de incienso
abedul: River	Enchantress, Jack	pino palustris
ciprés calvo	Evans, Washington	pino escocés
ciprés italiano: Glauca	White	pino resinoso
ciprés japonés falso:	abeto Hemlock de	pino de Virginia
Gracilis	Canadá	pino blanco
ciprés de Leyland	palma alejandra	palmera reina
cornejo	arce japonés	oxydendrum arboreum
cornejo de flor:	arce Noruega	picea: glauca. var.
Flavirimaea	arce rojo	densata;
abeto Douglas	arce plateado	picea azul de Colorado
olmo Drake	arce azucarero	picea de Noruega
palma de hojas en	roble laurel	picea blanca
abanico europea	roble de los pantanos	liquidambar
palma de hojas en	roble rojo	sicomoro
abanico mejicana	roble de Virginia	helecho arbóreo (tiki)
ficus	roble sauce	palma de Fortune
abeto Fraser	palmera de Cunningham	
caucho	pino australiano	

Árboles y plantas sin frutos:

manzana, arándano:	celinda: Golden, Snowflake	membrillo japonés
Bluecrop, Blue Jay, Jersey,	Double White	romero
North Blue, Northland	durazno	

*Únicamente especies ornamentales: No utilizar en árboles y ornamentales comestibles.

Cuándo aplicar el PREEN SUR PREVENTOR DE MALEZAS

Aplicar Preventor Preen malezas del Sur en cualquier momento durante la temporada de crecimiento sólo alrededor de las plantas establecidas. Preen Preventor de malezas del Sur no debe ser usado en las semillas de flores. Se puede utilizar después de las plantas con flores han germinado y son de 2-3 pulgadas de alto. Ya que no mata las malezas existentes, primero debe eliminar cualquier que ya han comenzado a crecer. Mediante la aplicación de Preventor Preen malezas del sur tan pronto como sea posible, usted puede eliminar la necesidad de que el desyerbe manual. La lluvia no se lava el producto de la tierra.

Para mantener las camas ornamentales libre de malezas* durante toda la temporada, vuelva a aplicar Preventor Preen malezas Sur cada 4 meses.

* Ve a las instrucciones de uso para la lista completa de las malezas tratadas.

Cómo aplicar el CONTROLADOR DE MALEZAS PREEN

Para evitar daños en las plantas, no aplique el PREEN SUR PREVENTOR DE MALEZAS cuando el follaje esté mojado. Cuando las plantas estén secas, rocíe el PREEN SUR PREVENTOR DE MALEZAS sobre la superficie del suelo según las proporciones que se indican más abajo. Una vez que se haya activado mediante el riego, el PREEN SUR PREVENTOR DE MALEZAS forma una barrera de control contra malezas en la capa superior del suelo, lo que evita que las semillas de malezas germinen. La alteración de la superficie del suelo después de la activación puede tener como resultado un control irregular de las malezas.

Aplicación alrededor de plantas crecidas

Para flores, rosas, hierbas, cubiertas vegetales, céspedes ornamentales, arbustos y árboles: esparza uniformemente el PREEN SUR PREVENTOR DE MALEZAS en toda la superficie del suelo en una proporción de 19,3 g cada 1 m² (ver imagen debajo), asegurándose de mantener los granúlos alejados de las raíces y el follaje de las plantas. Riegue el PREEN SUR PREVENTOR DE MALEZAS para que penetre en la superficie del suelo. Lave siempre o limpie los granúlos sueltos del follaje de la planta para evitar daños o la decoloración.



Proporción de aplicación en la superficie
Esparza el PREEN SUR PREVENTOR DE MALEZAS en la superficie del suelo como se muestra.

Aplicación del PREEN SUR PREVENTOR DE MALEZAS con compuesto orgánico

Para lograr un mejor control de las malezas, aplicar el PREEN SUR PREVENTOR DE MALEZAS después de esparcir compuesto orgánico en los mantos de flores y arbustos. Esparza el PREEN SUR PREVENTOR DE MALEZAS sobre la capa de compuesto orgánico según la proporción de la superficie (consulte la imagen que se encuentra a la derecha), asegurándose de mantener los granúlos alejados del follaje de las plantas. Riegue el PREEN SUR PREVENTOR DE MALEZAS para que penetre en el compuesto orgánico. Lave o quite siempre los granúlos sueltos del follaje de la planta para evitar daños o la decoloración.

Garantía Preen

En la medida compatible con la legislación aplicable, Lebanon Seaboard Corporation le garantiza que, si usted no queda satisfecho con el producto luego de utilizarlo como se indica, se le reembolsará su dinero. Si no queda satisfecho, haga una descripción de la naturaleza del problema y envíela con el comprobante de compra a Lebanon Seaboard Corporation, 1600 East Cumberland St., Lebanon, PA 17042

En la medida compatible con la legislación aplicable, El fabricante no otorga garantías, expresas ni implícitas, relacionadas con este producto o con su uso, que amplíen la descripción del presente documento. Todas las declaraciones hechas relacionadas con este producto se aplican solamente cuando se utiliza según las instrucciones.

EPA Reg. No. 961-410
CAS No. 97886-45-8

(L) (D)
EPA Est. No. 961-PA-01:961-IL-01
Superscript used is first letter of lot number.

Advertencias

Peligroso para seres humanos y animales domésticos PRECAUCIÓN

Causa irritación leve en los ojos. Si el producto es ingerido, inhalado o absorbido por la piel puede ser perjudicial. Evite el contacto con los ojos, la piel o la ropa. Además, debe quitarse la ropa inmediatamente si el pesticida entra en contacto con ésta. Luego, lavarla completamente y usar ropa limpia. El contacto prolongado o frecuente con la piel puede causar reacciones alérgicas en algunas personas. Lávese las manos antes de comer, beber, utilizar goma de mascar, consumir tabaco o usar el baño.

Primeros auxilios

Para los ojos:	<ul style="list-style-type: none">• Mantenga el ojo abierto y enjuague lenta y suavemente con agua entre 15 y 20 minutos.• Si tiene puestos lentes de contacto, retírelos dentro de los primeros 5 minutos y siga enjuagándose los ojos.• Llame a un centro de control de tóxicos o a un médico para obtener asesoramiento sobre el tratamiento.
Si se ingiere:	<ul style="list-style-type: none">• Llame inmediatamente a un centro de control de tóxicos o a un médico para obtener asesoramiento sobre el tratamiento.• Haga que la persona tome agua, si puede tragar.• No induzca el vómito, a menos que se lo indique un médico o el centro de control de tóxicos.
Si entra en contacto con la piel o la ropa:	<ul style="list-style-type: none">• No administre nada por vía oral a una persona inconsciente.• Quite la ropa contaminada.• Enjuague inmediatamente la piel con abundante agua entre 15 y 20 minutos.
Si se inhala:	<ul style="list-style-type: none">• Llame a un centro de control de tóxicos o a un médico para obtener asesoramiento sobre el tratamiento.• Lleve a la persona a tomar aire fresco.• Si la persona no respira, llame al 911 o a una ambulancia, luego administre respiración artificial, preferentemente boca a boca, si es posible.

Llame a un centro de control de tóxicos para obtener asesoramiento adicional sobre el tratamiento. Tenga a mano el envase del producto o la etiqueta cuando llame al centro de control de tóxicos o al médico, o cuando vaya a recibir tratamiento. Para obtener información médica de emergencia, llame al (888)

Peligros para el medio ambiente

Este producto es tóxico para los peces. El sedimento y el residuo líquido pueden perjudicar a los organismos acuáticos. No aplique directamente en el agua, en las áreas donde existe agua superficial o en áreas entre mareas alta y baja por debajo de la pleamar media. No contamine el agua que quede después de lavar el equipamiento utilizado para aplicar el producto.

BATTERY-POWERED APPLICATOR



- **No shaking!**
- **Dispenses evenly for better results**
- **Reusable applicator fits all
Preen bottles**
- **Includes 2 'AAA' batteries**

Tips for Use

- Turn power switch on while bottle is in an upright position and then tilt toward ground.
- Adjust the angle of the bottle to control the flow.
- Hold bottle steady and apply in an even back and forth motion.
- When finished, turn power off while bottle is still pointed downward.

If motor gets clogged or stops working, turn power switch off and manually rotate blue dial on top of cap to dislodge granules.

Use protective eyewear when using battery powered cap.