

STOP WEEDS* Before They Start!

ER

Blocks Weeds* Up To 3 Months Guaranteed!

Covers 900 Sq. Ft.

See Use Directions for complete list of treated weeds. KEEP OUT OF REACH OF CHILDREN



See back panel for First Aid and additional Precautionary Statements.

Net Wt. 5.625 lbs. (2.55 kg)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Not for Use on Lawns

CAUTION

Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

DEV

STOP WEEDS* Before They Start!

h

h

T1

LIFT HERE TO OPEN | PRESS TO RESEAL

FIRST AID	
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN Or Clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

Environmental Hazards

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and cyster. Do not apply directly to water. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to drift or runoff. Do not contaminate water when disposing of equipment washwaters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help to ensure that wind does not blow pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the garden will help to prevent run off to water bodies or drainage systems.

NON-TARGET ORGANISM ADVISORY STATEMENT: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize drift.



Preen[®] is a registered trademark of Lebanon Seaboard Corporation. (L) (D) EPA Reg. No. 961-280 I EPA Est. No. 961-PA-01:961-IL-01 Superscript used is first letter of lot number.

*See Use Directions for complete list of treated weeds.

Manufactured by Lebanon Seaboard Corporation 1600 East Cumberland Street | Lebanon, PA 17042



see inside booklet for complete directions for use and plant listings

TREES:	Silver dollar	Vesuvius red-flowering	Sequoia, Giant
Ash: Shamel, White	Ficus, Mini	Mesquite, Chilean	Sourwood
Birch: European white,	Fir: Balsam, Douglas,	Oak: Bear, Live, Pin,	Spruce: Colorado,
I Paper, River	White	Red, Scarlet, Willow	Dwarf alberta,
Blackgum	Florida anise tree	Palm: Mexican fan,	Dwarf globe blue,
Bottle tree	Ginkgo-Maidenhair tree	Parlor, Queen	Glauca-Colorado
Carrot wood	Hawthorn, Green	Pine: Austrian, Beach,	blue, Hoopsii-Hoo
Cherry, Yoshino	Hemlock: Canada,	Bosnian, Bristlecone,	blue, Koster-Kost
flowering	Eastern	Canary Island,	blue, Norway,
Coolibah tree	Larch, Japanese	Columnar Scotch,	Pendula-weeping
Cottonwood	Linden	Eastern white,	Norway,
Cypress: Arizona, Bald,	Locust: Black, Honey,	Eldarica, Japanese	Repens-spreadin
Filicoides-fernspray,	Shademaster honey	black, Loblolly,	Norway, White
Gracilis-slender Hinoki,	Magnolia	Monterey, Pumilio-	Sweetgum, Americ
Squarrosa-moss, Swara	Mahogany	shrubby Swiss	Sycamore: Americ
false	Maple: Albus-flowering.	mountain. Red.	California
Dogwood: Cloud nine,	Flame, Luteus-flowering,	Scotch, Shore	Tab, Yellow
Flowering, Kousa	Norway, Red, Red	Planetree, London	Toyon
Elm, Chinese	Sunset, Roseus-	Podocarpus	Tuliptree
Eucalyptus: Mealy,	flowering, Silver, Sugar,	Redbud, Eastern	Willow
Redgum, Red ironbark,	Tangerine-flowering,	Red Cedar, Eastern	
Theuguin, neu nonbark,	rangerine-nowering,	neu Oeuar, Lastern	I
FRUITS AND VEGETARI ES-	Cauliflower	Lentils	Southern Peas
FRUITS AND VEGETABLES:	Cauliflower Celery	Lentils Lima Beans	Southern Peas
Asparagus	Celery	Lima Beans	(Cow Peas)
Asparagus Broccoli	Celery Collard	Lima Beans Mustard Greens	(Cow Peas) Snap Beans
Asparagus Broccoli Black-Eyed Peas	Celery Collard Cucumbers	Lima Beans Mustard Greens Okra	(Cow Peas) Snap Beans Tomatoes
Asparagus Broccoli Black-Eyed Peas Brussels Sprouts	Celery Collard Cucumbers Eggplant	Lima Beans Mustard Greens Okra Onions	(Cow Peas) Snap Beans Tomatoes Turnip Greens
Asparagus Broccoli Black-Eyed Peas Brussels Sprouts Cabbage	Celery Collard Cucumbers Eggplant Field Peas	Lima Beans Mustard Greens Okra Onions Peppers	(Cow Peas) Snap Beans Tomatoes
Asparagus Broccoli Black-Eyed Peas Brussels Sprouts Cabbage Cantaloupes	Celery Collard Cucumbers Eggplant Field Peas Green Peas	Lima Beans Mustard Greens Okra Onions Peppers Potatoes	(Cow Peas) Snap Beans Tomatoes Turnip Greens
Asparagus Broccoli Black-Eyed Peas Brussels Sprouts Cabbage	Celery Collard Cucumbers Eggplant Field Peas	Lima Beans Mustard Greens Okra Onions Peppers	(Cow Peas) Snap Beans Tomatoes Turnip Greens
Asparagus Broccoli Black-Eyed Peas Brussels Sprouts Cabbage Cantaloupes Carrots	Celery Collard Cucumbers Eggplant Field Peas Green Peas Kale	Lima Beans Mustard Greens Okra Onions Peppers Potatoes Radishes	(Cow Peas) Snap Beans Tomatoes Turnip Greens Watermelon
Asparagus Broccoli Black-Eyed Peas Brussels Sprouts Cabbage Cantaloupes Carrots MON-BEARING FRUIT AND N	Celery Collard Cucumbers Eggplant Field Peas Green Peas Kale UT TREES AND PLANTS: ⁺	Lima Beans Mustard Greens Okra Onions Peppers Potatoes Radishes Kiwi	(Cow Peas) Snap Beans Tomatoes Turnip Greens Watermelon
Asparagus Broccoli Black-Eyed Peas Brussels Sprouts Cabbage Cantaloupes Cartaloupes Carrots MON-BEARING FRUIT AND N Almond	Celery Collard Cucumbers Eggplant Field Peas Green Peas Kale UT TREES AND PLANTS: ⁺ Crabapple	Lima Beans Mustard Greens Okra Onions Peppers Potatoes Radishes Kiwi Lemon	(Cow Peas) Snap Beans Tomatoes Turnip Greens Watermelon Pistachio Plum
Asparagus Broccoli Black-Eyed Peas Black-Eyed Peas Cabage Cantaloupes Cartots NON-BEARING FRUIT AND N Almond Apple	Celery Collard Cucumbers Eggplant Field Peas Green Peas Kale UT TREES AND PLANTS: ⁺ Crabapple Currant	Lima Beans Mustard Greens Okra Onions Peppers Potatoes Radishes Kiwi Lemon Loganberry	(Cow Peas) Snap Beans Tomatoes Turnip Greens Watermelon Pistachio Plum Pomegranate
Asparagus Broccoli Black-Eyed Peas Brussels Sprouts Cabbage Cantaloupes Carrots MON-BEARING FRUIT AND N Almond Apple Apricot	Celery Collard Cucumbers Eggplant Field Peas Green Peas Kale UT TREES AND PLANTS: ⁺ Crabapple Currant Dewberry	Lima Beans Mustard Greens Okra Onions Peppers Potatoes Radishes Kiwi Lemon Loganberry Macadamia nut	(Cow Peas) Snap Beans Tomatoes Turnip Greens Watermelon Pistachio Plum Pomegranate Prune
Asparagus Broccoli Black-Eyed Peas Brussels Sprouts Cabbage Cantaloupes Carrots NON-BEARING FRUIT AND N Almond Apple Apricot Avocado	Celery Collard Cucumbers Eggplant Field Peas Green Peas Kale UT TREES AND PLANTS: ⁺ Crabapple Currant Dewberry Elderberry	Lima Beans Mustard Greens Okra Onions Peppers Potatoes Radishes Kiwi Lemon Loganberry Macadamia nut Mulberry, White	(Cow Peas) Snap Beans Tomatoes Turnip Greens Watermelon Pistachio Plum Pomegranate Prune Raspberry
Asparagus Broccoli Black-Eyed Peas Brussels Sprouts Catbage Cantaloupes Carrots NON-BEARING FRUIT AND N Almond Apple Apricot Avocado Banana	Celery Collard Cucumbers Eggplant Field Peas Green Peas Kale UT TREES AND PLANTS:* Crabapple Currant Dewberry Elderberry Fig	Lima Beans Mustard Greens Okra Ohra Peppers Potatoes Radishes Kiwi Lemon Loganberry Macadamia nut Mulberry, White Nectarine	(Cow Peas) Snap Beans Tomatoes Turnip Greens Watermelon Pistachio Plum Pomegranate Prune Raspberry Tangelo
Asparagus Broccoli Black-Eyed Peas Brussels Sprouts Cabage Cantaloupes Cartots NON-BEARING FRUIT AND N Almond Apple Apricot Avocado Banana Blackberry	Celery Collard Cucumbers Eggplant Field Peas Green Peas Kale UT TREES AND PLANTS: ⁺ Crabapple Currant Dewberry Elderberry Fig Filbert	Lima Beans Mustard Greens Okra Onions Peppers Potatoes Radishes Kiwi Lemon Loganberry Macadamia nut Mulberry, White Nectarine Olive: Black, Russian	(Cow Peas) Snap Beans Tomatoes Turnip Greens Watermelon Pistachio Plum Pomegranate Prune Raspberry Tangelo Tangerine
Asparagus Broccoli Black-Eyed Peas Brussels Sprouts Cabbage Cantaloupes Carrots MON-BEARING FRUIT AND N Almond Apple Apricot Avocado Banana Blackberry	Celery Collard Cucumbers Eggplant Field Peas Green Peas Kale UT TREES AND PLANTS: ⁺ Crabapple Currant Dewberry Elderberry Fig Filbert Gooseberry	Lima Beans Mustard Greens Okra Ohions Peppers Potatoes Radishes Kiwi Lemon Loganberry Macadamia nut Mulberry, White Nectarine Olive: Black, Russian Orange	(Cow Peas) Snap Beans Tomatoes Turnip Greens Watermelon Pistachio Plum Pomegranate Prune Raspberry Tangelo
Asparagus Broccoli Black-Eyed Peas Black-Eyed Peas Cablage Cantaloupes Carrots NON-BEARING FRUIT AND N Almond Apple Apricot Avocado Banana Blackberry Blueberry Carob	Celery Collard Cucumbers Eggplant Field Peas Green Peas Kale UT TREES AND PLANTS:* (Crabapple Currant Dewberry Elderberry Fig Filbert Gooseberry Grape: American,	Lima Beans Mustard Greens Okra Ohra Peppers Potatoes Radishes Kiwi Lemon Loganberry Macadamia nut Mulberry, White Nectarine Olive: Black, Russian Orange Peach	(Cow Peas) Snap Beans Tomatoes Turnip Greens Watermelon Pistachio Plum Pomegranate Prune Raspberry Tangelo Tangerine
Asparagus Broccoli Black-Eyed Peas Brussels Sprouts Cabbage Cantaloupes Cartots MON-BEARING FRUIT AND N Almond Apple Apricot Avocado Banana Blackberry Blueberry Carob Cherry: Sweet, Sour	Celery Collard Cucumbers Eggplant Field Peas Green Peas Kale UT TREES AND PLANTS: ⁺ Crabapple Currant Dewberry Elderberry Fig Filbert Gooseberry Grape: American, European	Lima Beans Mustard Greens Okra Onions Peppers Potatoes Radishes Kiwi Lemon Loganberry Macadamia nut Mulberry, White Nectarine Olive: Black, Russian Orange Peach Pear	(Cow Peas) Snap Beans Tomatoes Turnip Greens Watermelon Pistachio Plum Pomegranate Prune Raspberry Tangelo Tangerine
Asparagus Broccoli Black-Eyed Peas Black-Eyed Peas Cablage Cantaloupes Carrots NON-BEARING FRUIT AND N Almond Apple Apricot Avocado Banana Blackberry Blueberry Carob	Celery Collard Cucumbers Eggplant Field Peas Green Peas Kale UT TREES AND PLANTS:* (Crabapple Currant Dewberry Elderberry Fig Filbert Gooseberry Grape: American,	Lima Beans Mustard Greens Okra Ohra Peppers Potatoes Radishes Kiwi Lemon Loganberry Macadamia nut Mulberry, White Nectarine Olive: Black, Russian Orange Peach	(Cow Peas) Snap Beans Tomatoes Turnip Greens Watermelon Pistachio Plum Pomegranate Prune Raspberry Tangelo Tangerine

+Non-bearing fruit and nut trees and plants are defined as plants that will not bear fruit for at least one year after treatmer

Warranty

¹NOTE: To the extent consistent with applicable law, Buyer assumes all responsibility for safety and ¹performance if this product is not used according to the directions.



Remove Existing Weeds Sprinkle Product Evenly

Water Product Into Soil

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clear clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before pating, drinking, chewing gum, using tobacco or using the toilet.

Refill Instructions

. This container with applicator cap is reusable with Preen Garden Weed Preventer. Refill the container with desired amoun of this product and use as directed. When done, store or dispose this container as listed on the label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store product in its original container in a cool, dry, locked place out of the reach of children and animals. Pesticide Disposal and Container Handling: Nonrefillable container. Do not reuse or refill this container except as described in the DIRECTIONS FOR USE (see Refill Instructions). If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



Preer@is a registered trademark of Lebanon Seaboard Corporation. (L) (D) EPA Reg. No. 961-280 I EPA Est. No. 961-PA-01:961-IL-01 Superscript used is first letter of lot number.



Before They Start!

TOTAL

ACTIVE INGREDIENT: Trifluralin......1.47%

...98.53%

100.00%

OTHER INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN CAUTION

See container label for First Aid and additional Precautionary Statements

*See Use Directions for complete list of treated weeds.

DIRECTIONS FOR USE

t is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Product Information

Preen Garden Weed Preventer prevents most weeds from germinating in flower and vegetable gardens, irr ground covers and around trees and shrubs. Although Preen Garden Weed Preventer will not kill existing weeds, it will prevent new listed weeds from sprouting-eliminating the need for difficult and time-consuming hand weeding. Without weeds, your valuable plants can grow larger and stronger. Your beds will stay neat all Iseason long.

PRECAUTIONS AND RESTRICTIONS

Not for use on plants being grown for sale or other commercial use, or for commercial seed production or for research purposes. For use on plants intended for aesthetic purposes or climatic modifications and being grown in ornamental gardens

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application

Do not apply to Ajuga, Myrtle or Pachysandra until it is well established, as injury may result. Do not apply Preen Garden Weed Preventer to muck soils or to soils containing more than 10% organic matter. Do no over-apply; injury may occur to subsequent crops which are sensitive to Preen Garden Weed Preventer. Do not use with crops other than those listed on this label. This product is not for use on lawns, nor for use in enclosed areas, such as greenhouses. To prevent possible staining to unintended surfaces, ex.: concrete, stone walks, vinyl surfaces, etc., sweep up stray granules as soon as possible.

ENTRY RESTRICTIONS

Do not allow people or pets to enter the treated area until dusts have settled. If product is watered-in, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is drv.

Annual Weeds Controlled

GRASSY WEEDS: Barley, Hare	Crabgrass Cupgrass:	Johnsongrass (from seed)	Shattercane Signalgrass	
Barnyardgrass	Southwestern, Woolly	Junglerice	(Brachiaria)	
^I (Watergrass) Bluegrass, Annual	Fescue, Rattail Foxtail	Lovegrass Oat. Wild	Sprangletop	
Brome	Guineagrass	Panicum: Fall.Texas	Stinkgrass Wildcane	
Cheat	Goosegrass	Sandbur	Witchgrass	
BROADLEAF WEEDS:	Goosefoot	Lambsquarters	(Western U.S. on	
Carelessweed	Henbit	Nettle, Stinging	Purslane	
Carpetweed	Knotweed Kochia	Pigweed	Pusley, Florida	
Uniokweed	Kuullia	Puncturevine	Thistle, Russian	

When To Apply Preen Garden Weed Preventer

Apply Preen Garden Weed Preventer during the growing season around established plants and transplants. IDo not use Preen Garden Weed Preventer on flower seeds. It can be used after flowering plants have iderminated and are 2-3 inches tall. Preen Garden Weed Preventer may also be incorporated into the soil i when seeding vegetables or applied after mulching beds. Since it does not kill existing weeds, you must first remove any that have already begun to grow. By applying Preen Garden Weed Preventer as early as possible, 1 you can eliminate the need for hand weeding.

Rain does not wash this product out of the soil. Reapply Preen Garden Weed Preventer every 9-12 weeks.

How To Apply Preen Garden Weed Preventer

To avoid plant injury, do not apply Preen Garden Weed Preventer when foliage is wet. When plants are dry, sprinkle Preen Garden Weed Preventer on soil surface at rate given below for your specific planting situation. Once activated by watering or soil incorporation. Preen Garden Weed Preventer forms a weed control barrier in the top laver of soil, preventing weed seeds from germinating. Disturbance to the soil surface after activation may result in erratic weed contro

This product must be soil-incorporated within 24 hours of application either by at least 0.5 acre inch of water (rainfall, irrigation) or mechanical incorporation. If a second incorporation is needed it should be delayed 3 to 5 days after the first incorporation and be completed prior to planting.

Applying Around Established Plants And Transplants

For flowers, roses, ground covers, ornamental grasses, shrubs, trees and listed vegetables at least 2-3 inches tall (see special section for use on vegetables): sprinkle Preen Garden Weed Preventer evenly over the entire soil surface, at the rate of 1 loz. per 10 sq. ft. (see picture on right), being sure to keep granules away from plan roots and foliage. Immediately water Preen Garden Weed Preventer into so ^Isurface. If watering-in is not convenient, lightly rake into soil surface. Always was or brush off stray granules from plant foliage to avoid damage or discoloration

Surface Application Rate: Sprinkle Preen Garden Weed Preventer as shown on soil surface.

Applying Preen Garden Weed Preventer With Mulch

For best weed control, apply Preen Garden Weed Preventer after spreading mulch on your flower and shrub beds. Sprinkle Preen Garden Weed Preventer on top of mulch at surface rate (see picture above

peing sure to keep granules away from plant foliage. Immediately water Preen Garden Weed Preventer into mulch. If watering-in is not convenient, lightly rake into top layer of mulch. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

For Use On Vegetables

First remove all existing weeds, then lightly rake to prepare a smooth soil surface. Uniformly mix Preen Garden Weed Preventer into the top 1-2 inches of soil immediately after application, using care not to damage any emerged crops. Rate of application depends on type of soil. Apply at 1 lb. per 640 sq. ft. for heavy clay-type soils, at 1 lb. per 960 sq. ft. for medium loam soils, and at 1 lb. per 1,280 sq. ft. for light sandy soils. BEFORE Seeding: Broccoli, Brussels Sprouts, Cabbage, Carrots, Cauliflower, Celery, Collard, Black-Evec Peas, Field Peas, Green Peas, Kale, Lentils, Lima Beans, Mustard Greens, Okra, Badish, Southern Peas (Cov Peas), Snap Beans, Turnip Greens,

AFTER Seeding or Transplanting: Cantaloupes, Cucumbers, Watermelons, Apply after plants have developed 5 or more leaves

AFTER Planting: Potatoes - May be applied after planting, before or after emergence. Use care not to damage seed pieces in cultivating nor allow treated soil to contact emerged plant foliage.

Ixora

1" in diameter

loa. Golden

oo-marginata

Asian

White

Lobelia

Marigold

Lamb's ears Lavender, English

Jasmine: Angelwin

Lily turf: Big blue

beauty, Majesti

Silvery sunproof

Lilv-of-the-Nile

upine (Lupinus

Marigold, Cape

(Dimorphot)

Morningglor

Mvoporum

Narcissus

Vicotiana

Ozark sundrop

Periwinkle (Vinc

Peter Pan, Dwar

Variedated liriope

Green/creeping, L

BEFORE Transplanting: Celery, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Eggplant, Peppers Onions, Tomatoes,

Perennial Vegetables: Asparagus - Apply prior to spear emergence of established plants.

Preen Garden Weed Preventer Is Suggested For Use Around These Established Plants

BULBS, FLOWERS, GROUND COVERS & ORNAMENTAL GRASSES

Aaronsbeard	Coral bells	J Geranium
Alyssum	Coreopsis	Germander
Arctotis	Cornflower, Purple	Geum
Aster (perennial)	Cosmos	Gladiolus
Aster, Stoke's	Cotoneaster	(corms > 1" in diamet
Baby's breath	Coyote bush, Dwarf	Golden glow
Balsam	Crown vetch	Grass: Beech, Dwarf
Beard tongue	Daffodil	Mondo, Eulalia,
Bee balm	Dahlia	Fountain, Mascarene,
Begonia	Daisy: African, Painted,	Mondo, Pampas,
Bellflower	Shasta, Trailing African	Ribbon, Zoysia
Black-eyed Susan	Daylily	Guara
Bleeding heart	Deschampsia	Hakonechloa, Golde
Bunge	Dianthus	Hollyhock
Calendula	Dusty miller	Hosta, Albo-margina
Calliopsis	Fern, Asparagus	Hyacinth
Cape weed	Fescue, Blue	Ice plant: Largeleaf,
Carex, Variegated	Floss flower (Ageratum)	Trailing, Trailing
Carnation	Forget-me-not	rosea, White
Carpet bugle (Ajuga)	Four o'clock	Impatiens
Ceanothus	Foxglove	Iris, Bulbous
Centaurea, Velvet	Gaillardia	Ivy: Algerian,
Chrysanthemum	Gayfeather	California, English,
Coneflower, Purple	Gazania	Needlepoint

Petunia Phlox Pincushion flower (<i>Scabiosa</i>) Plumbago, Dwarf Poppy, California Portulaca Rockrose Rose Rudbeckia	Rupturewort Salvia Silver mound Snapdragon Snow-in-summer Snow-on-the- Mountain Speedwell Spurge, Japanese St. John's wort	Statice Stock Stonecrop (<i>Sedum</i>) Strawberry, Beach Sunflower Sweet alyssum Sweet pea Sweet pea Sweet sultan Sweet William Thrift	Tickseed Tulip Verbena Wire plant Wirevine, Creepin Yarrow (<i>Achillea</i>) Zinnia
SHRUBS: Abelia: Edward Goucher, Glossy Acacia: Abyssinica, Prostrate, Shoestring Andromeda, Japanese Arborvitae: American, I valueus nana-dwarf I golden, Emerald, Globosa-globe, Little giant-dwarf, Minima glauca-dwarf, Nigra-dark American, Pyramidalis pyramid, Rheingold, Techny Azalea Bamboo: Compacta- I dwarf, Harbour dwarf- I heavenly, Heavenly, Nana-compacta- I dwarf, Harbour dwarf- I heavenly, Nana purpurea-heavenly, Woods dwarf heavenly Barberry: Atropurea- I redieal Japanese, Aurea- I golden Japanese, Mento, Rose glow, William Penn Bottlebrush: Lemon, Weeping Bogainvillea: Barbara Karst, California I gold, Pink pixie, Scarlett O'Hara, Temple fire Texas dawn Boxwood: Common, Harlands, Japanese, Korean, Litteleaf Broom: Hollandia- I warminster, Lena-Scotch	Camellia: Japanese, Sasanqua Cassia, Feathery Century plant Cherry: Carolina laurel, Dwarf pink flowering almond Cinquefoil Cleyera, Japanese Cotoneaster: Bearberry Cranberry, Himalayan, Praecox-early, Pyrenees, Rock, Zabel Coyotebush Cypress: Filifera-thread, Kosteri, Nana-dwarf Hinoki, Torulosa Daphne, Fragrant Deutzia Dogwood: Baileyi red osier, Flaviramea-yellow- twig, Sibirica-Siberian Elaeagnus Euonymus: Canadale, Emerald'n gold, Silver king, Spreading, Sunspot, Variegated evergreen, Winged, Wintercreeper Fern: Tassel, Japanese painted Firethorn (<i>Pyracantha</i>) Forsythia Gardenia: August beauty, Mystery. Radican Guava, Pineapple Hawthorn, India Heather: Cornish, Purple bell, Mediterranean pink, Spring torch Scotch Hibiscus, Ross Estey	Holly Honeysuckle: Cape, Trumpet Hopseed bush Ixora Jessamine, Carolina Juniper Lantana Laurel: American Cherry, Mountain Leat: Copper, Sala/Jemon Leucothoe: Coast, Drooping Lilae: Common, Chinese, Wild Lily-of-the-Valley: Forest flame, Mountain fire, Snowdrift, Temple-bells, Valley rose, Valley valentine Mahonia: Creeping, Leather leaf Maple: Amur, Coral bark Japanese, Dwarf Japanese, Terdy red, Ruby lace Osmanthus, Fortunes Palm: Areca, Chinese fountain, Christmas, Pigmy date, Sago Photinia, Fraser's Pieris Japonica Pine, Mugo-mugho Pitosporum: Green, Japanese, Wheeler's dwarf Plumbago Privet	Red Cedar, Easte Rhaphiolepis: Chari Monruce, Enchant Moness, Roundle Springtime-Monrn Rhododendron Rose, Ramanas Rose of Sharon: H Red bird, Woodbr Sakaki Silverberry Skimmia: Japanes Reeve's Smoke Tree: Roya purple, Coral beat Eichholz Spiraea: Anthony Waterer, Bridal wer Dolchia, False, Japanese alpine, Shirobana, Vanho Sumac, African Summersweet Sweetspire, Henry, Garnet holly leaf Viburnum Weigela Willow Woadwaxen Woodbine: Flower Serotina Xylosma Yew: Anglojap, Plu Urght Japanese Yewpine

