

# Preen®

## MULCH

WITH

### EXTENDED CONTROL

### WEED PREVENTER

PREVENTS WEEDS\* FOR UP TO  
**6**  
MONTHS  
GUARANTEED!

## MULCH **WITH** WEED\* PREVENTER!

### MIDNIGHT BLACK MULCH

### COLOR LASTS ALL YEAR!

MULCH **WITH** WEED\* PREVENTER!

MIDNIGHT BLACK  
MULCH  
COLOR LASTS ALL YEAR!

**6** MONTHS  
GUARANTEED!

PREVENTS WEEDS\*  
FOR UP TO  
**6**  
MONTHS  
GUARANTEED!

DO NOT USE THIS MULCH AROUND FOOD PRODUCING FRUIT OR NUT TREES, VEGETABLES, HERBS, OR OTHER EDIBLE FOOD PLANTS.  
NO USE ESTE COMPUESTO DE MATERIALES NATURALES CERCA DE ÁRBOLES FRUTALES O DE FRUTOS QUE PRODUZCAN ALIMENTOS, NI DE VERDURAS, HIERBAS U OTRAS PLANTAS COMESTIBLES.

\*SEE USE DIRECTIONS FOR COMPLETE LIST OF TREATED WEEDS.

ACTIVE INGREDIENTS:  
Trifluralin..... 0.0032%  
Isoxaben..... 0.0008%  
OTHER INGREDIENTS: ... 99.9960%  
TOTAL..... 100.0000%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**

See back panel for First Aid and additional Precautionary Statements.

COVERS 12 SQ. FT.

NET CONTENTS 2 CU. FT. (56.63L)


WITH

**EXTENDED  
CONTROL**

**WEED PREVENTER**

PREVENTS WEEDS\* FOR UP TO  
**6**  
MONTHS  
GUARANTEED!

# MULCH **WITH** WEED\* PREVENTER!



MIDNIGHT BLACK

— MULCH —

COLOR LASTS **ALL YEAR!**

**DO NOT USE THIS MULCH AROUND FOOD PRODUCING FRUIT OR NUT TREES, VEGETABLES, HERBS, OR OTHER EDIBLE FOOD PLANTS.**

NO USE ESTE COMPUESTO DE MATERIALES NATURALES CERCA DE ÁRBOLES FRUTALES O DE FRUTOS QUE PRODUZCAN ALIMENTOS, NI DE VERDURAS, HIERBAS U OTRAS PLANTAS COMESTIBLES.

\* SEE USE DIRECTIONS FOR COMPLETE LIST OF TREATED WEEDS.

**ACTIVE INGREDIENTS:**

Trifluralin . . . . . 0.0032%

Isoxaben . . . . . 0.0008%

OTHER INGREDIENTS: . . . 99.9960%

TOTAL . . . . . 100.0000%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See back panel for First Aid and additional Precautionary Statements.

**COVERS 12 SQ. FT.**

**NET CONTENTS 2 CU. FT. (56.63L)**

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## CAUTION

Causes moderate eye irritation. Harmful if swallowed or inhaled. Avoid prolonged contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic skin reactions in some individuals. Wash thoroughly with soap and water after handling. If product gets on clothes, wash before reuse.

### FIRST AID

<b>IF IN EYES:</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
<b>IF INHALED:</b>	<ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-888-208-1368 for emergency medical treatment information.

### ENVIRONMENTAL HAZARDS

The active ingredients in this product are highly toxic to fish and other aquatic organisms including oysters and shrimp. Use with care when applying to areas adjacent to any body of water. Runoff from treated areas may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container to the place of purchase at once.

### PRODUCT INFORMATION

This landscaping product contains a premium quality mulch such as Hardwood, Pine and Cypress or combination there of together with two long-lasting preemergence herbicides. One application of Preen Mulch with Extended Control Weed Preventer provides 6 months control of broadleaf weeds\* and annual grasses in flower and ornamental beds. Plus it helps landscaped areas retain moisture - protecting your plants, trees and shrubs from extreme temperatures. Preen Mulch with Extended Control Weed Preventer provides increased weed\* control when used as directed.

### PRODUCT RESTRICTIONS

#### WEAR GLOVES WHEN HANDLING

Do not apply near fish pools, ponds, streams, or lakes.

For use **ONLY** on ornamental species. Use only on established ornamental plants.

#### FOR OUTDOOR RESIDENTIAL USE.

Do not use on vegetable gardens.

**DO NOT USE THIS MULCH AROUND FOOD PRODUCING FRUIT OR NUT TREES, VEGETABLES, HERBS, OR OTHER EDIBLE FOOD PLANTS.**

**Do not apply Preen Mulch with Extended Control Weed Preventer on the following plant species or injury may result:**

Acanthus, oak leaf	Burning bush, dwarf	Cranesbill, ballerina	Lingwort, Bertram Anderson	Rhododendron:	Stoncrop
Baby's breath, white festival	Cajeput tree	Foxglove	Mustard	Carolina, Roseum, elegans	Yucca, green
Bleeding heart, luxuriant	Candytuft	Hydrangea	Periwinkle, wine	Sandwort, mountain	
Bugle	Coneflower, purple	Juniper, Prince of Wales	Phlox, summer	Spurge	

### Weeds Controlled and/or Suppressed

#### Annual Grass Weeds:

Barley, hare	Cheat	Foxtail, yellow	Lovegrass	Sandbur, field	Stinkgrass
Barnyardgrass	Crabgrass	Goosegrass	Oat, wild	Shattercane	Swinecress
Bluegrass, annual	Cupgrass, Southwestern	Johnsongrass (seedling)	Panicum	Signalgrass	Witchgrass
Bromegrass	Fescue, rattail	Junglerice	Ryegrass, annual	Sprangletop, mexican	

#### Broadleaf Weeds:

Aster	Dandelion	Henbit	Morningglory	Pusley, Florida	Sweetclover
Bindweed, field	Datura	Horseweed	Mustard	Radish, wild	Tansymustard
Bittercress	Dock, common	Jimsonweed	Nettle	Ragweed	Telegraphplant
Brassbuttons, Southern	Dogfennel	Knotweed	Nightshade, black	Rocket, London	Thistle
Burclover, California	Elipta	Kochia	Oxtongue, bristly	Rockpurslane	Turkey mullein
Bursage, annual	Eveningprimrose	Ladysthumb	Pennywort	Shepherdspurge	Velvetleaf
Carpetweed	Fiddleneck, coast	Lambsquarter	Pepperweed, Virginia	Sibara	Willoweed, panicle
Carrot, wild	Filaree	Lanceleaf groundcherry	Phyllanthus, long-stalk	Sida, prickly	Woodsorrel
Celery, wild	Fireweed	Lettuce, prickly	Pigweed	Smartweed, Pennsylvania	
Chamberbitter	Fleabane	Mallow	Pimpernel, scarlet	Sorrell, red	
Chickweed	Galinsoga, hairy	Marestail	Pineappleweed	Sowthistle	
Clover, white	Geranium, Carolina	Mayweed	Plantain	Speedwell	
Cudweed, purple	Goosefoot, nettleleaf	Medic, black	Pokeweed	Spurge	
	Groundsel	Milkweed, honeyvine	Purslane	Sunflower	

# WHEN TO APPLY

This mulch contains preemergent herbicides and for best results, remove all weeds in the beds prior to applying Preen Mulch with Extended Control Weed Preventer. Apply in the spring and fall after renovating beds. For best results, apply Preen Mulch with Extended Control Weed Preventer after flowers and ornamentals have been planted into the soil. Do not apply over flower seeds.

# HOW TO APPLY

**Bulbs and Perennials** — Spread Preen Mulch with Extended Control Weed Preventer over the area to a depth of two inches. **Do not plant flowers directly into mulch.** If additional planting is desired after Preen Mulch with Extended Control Weed Preventer has been applied, first remove the mulch from the selected area. Avoid getting treated mulch in the planting hole. Once the plant is firmly embedded in the soil, replace the mulch around the plant. **Annuals** — After plants have been set in the soil bed, spread Preen Mulch with Extended Control Weed Preventer over the area to a depth of two inches. Make no more than one application per site per year. The active ingredients in Preen Mulch with Extended Control Weed Preventer can cause injury to some annuals. If you have a concern about damage to your annuals, do not use this product.

# PREEN MULCH WITH EXTENDED CONTROL WEED PREVENTER IS SUGGESTED FOR USE AROUND THESE ESTABLISHED PLANTS

## Bulbs, Flowers, Ground Covers & Ornamental Grasses –

**Amaryllis**  
**Angel's hair**  
**Astilbe, Deutschland**  
**Aster:** China, New England, New York  
**Banana, Red abyssinian**  
**Bee balm**  
**Begonia:** Heartleaf, White ambassador  
**Bidens, Peter's Gold**  
**Blackeyed Susan**  
**Blanket flower**  
**Busy Lizzie**  
**Cape weed**  
**Carex, Variegated**  
**Chrysanthemum**  
**Clematis, Blue bell**  
**Coral bells**

**Coreopsis, Threadleaf**  
**Cranesbill**  
**Creeper, Virginia**  
**Daffodil**  
**Dahlia, Dwarf Wendy Pink**  
**Daisy:** Angelita, Freeway, Gold coin, Paris, Swan River New  
**Daylily**  
**Descampsia**  
**Dianthus, Crimson**  
**treasure cheddar pink**  
**Dusty miller/Silver ragweed**  
**Euryops, Dwarf**  
**Fern**  
**Fescue, Blue**  
**Fuschia, Santa Claus**  
**Garlic, Society**

**Gay feather**  
**Gazania**  
**Geranium:** Ivy, Zonal  
**Gladiolus** (corms more than 1" in diameter)  
**Grass:** Beech, Crimson fountain, Dwarf mondo, Dwarf umbrella, Eulalia, Fountain, Mondo, Pampas, Gubon  
**Hakonechloa, Golden**  
**Heather:** False, Mexican  
**Honeysuckle, Japanese**  
**Horsetail, Dwarf**  
**Hosta, Albo-marginata**  
**Hyacinth**  
**Iceplant:** Largeleaf, Trailing, Trailing rosea, White

**Iris:** African, Bulbous, Blue Siberian, Yellow dwarf bearded  
**Ivy:** Algerian, English  
**Jasmine:** Angelwing, Asian  
**Licorice plant, White**  
**Lily:** Fortnight, Francee plantain, Patriot plantain, Peruvian, Kafir  
**Lily turf:** Big blue, Green/creeping, Lilac beauty, Majestic, Monroe white, Silvery sunproof, Variegated lirioppe, White  
**Lily-of-the-Nile**  
**Lisianthus, Pink**  
**Lobelia**  
**Loosestrife, Dotted**  
**Marigold, Little hero**  
**Mexican hat**  
**Narcissus**

**Palace purple**  
**Penstemon:** Apple Blossom, Hartwig  
**Periwinkle:** Bigleaf, Dwarf, Madagascar  
**Petunias, Garden**  
**Plumbago, Dwarf**  
**Primrose, Siskiyou evening**  
**Rosemary**  
**Ruella, Dwarf Katie**  
**Sage:** Graham's, Mexican bush, Russian  
**Snapdragon**  
**Snow in summer**  
**Spurge, Japanese**  
**St. Johnswort**  
**Star cluster**  
**Statice**

**Stock**  
**Stonecrop** (*Sedum*): Autumn joy, Vera jameson  
**Sweet alyssum**  
**Teatree, Broom**  
**Tulip**  
**Verbena, St. Paul**  
**Wallflower**  
**Yarrow, common**  
**Yucca, Red**  
**Zinnia, Dwarf**

## Shrubs –

**Abelia:** Edward Goucher, Glossy  
**Acacia:** Abyssinica, Prostrate, Shoestring  
**Almond, Dwarf pink flowering**  
**Aptenia, Red apple**  
**Aralia, Japanese**  
**Arborvitae:** Aureus nobadwarf golden, Emerald, Globosa-globe, Little giant-dwarf, Minima glauca-dwarf, Nigra-dark American, Pyramidalis, Rheingold, Techny, Woodwardii  
**Azalea:** Blue danube, Cannon's double, Carror, Coral bells, Fashion, Flame, Formosa, Gerard Christina, Gerard Roberta, Golden flare, Golden flare exbury, Gumbo pink, Helmut vogel, Hersey red, Higasa, Hino crimson, Hino pink, Hot shot, Hume, Inga, Irene Koster, Klondike, Mildred, President Clay, Reijn, Snow, Tradition, Waucabusa  
**Bamboo:** Compacta-dwarf heavenly, Harbour dwarf-heavenly, Heavenly bamboo (Nandina), Nana-compacta-heavenly, Nana purpurea-heavenly, Woods dwarf heavenly  
**Barberry:** Atropurea-redleaf Japanese, Aurea-golden Japanese, Cherry bomb, Crimsom pygmy, Mentor, Rose glow, William Penn  
**Bluebeard, Dark knight**

**Bottlebrush:** Lemon, Weeping  
**Bougainvillea:** Barbara Karst, California gold, Pink pixie, Scarlet O'Hara, Temple fire, Texas dawn  
**Boxwood:** Common, Green velvet, Japanese, Korean  
**Broom:** Holandia-Scotch, Hollandia-warminster, Lena-Scotch  
**Brush cherry, Dwarf**  
**Camellia**  
**Cassia, Feathery**  
**Century plant**  
**Cinquefoil** (*Potentilla*): Gold Drop, Goldfinger, Red Ace, Spring, Sunset, Tangerine  
**Cleyera, Japanese**  
**Cotoneaster:** Bearberry, Cranberry, Himalayan, Praecox-early, Pyrenees, Rock  
**Coyotebush**  
**Cranberry Bush/Dwarf**  
**Cranberry Bush**  
**Cypress:** Filifera-thread, Kosteri, Nana-dwarf Hinoki, Squarrosa Minima, Torulosa  
**Daphne, Fragrant**  
**Deutzia, Nakiana-dwarf**  
**Dogwood:** Baileyi, Baileyi-red-osier, Flaviramea, Flaviramea-yellowtwig,  
**Euonymus:** Canadale gold, Chollipo,

Emerald'n gold, Gold spot, Silver king, Spreading, Sunspot, Variegated evergreen  
**Euryops, Dwarf**  
**Fern:** Tassel, Japanese painted  
**Forsythia:** Border, Spring glory  
**Fringe Flower**  
**Gardenia:** August beauty, Mystery, Radican  
**Gracilis, Slender**  
**Heather:** Cornish, Purple bell, Mediterranean pink, Spring torch scotch  
**Hibiscus, Ross Estey**  
**Holly:** Balkans, Blue boy, Blue girl, Burford, China boy, China girl, Compacta-compact inkberry, Compacta-dwarf Japanese, Convexa, Dwarf Burford, Dwarf Chinese, Ebony magic, Gold coast, Green luster, Helli-Heller's Japanese, Hetzii's Japanese, Nana-dwarf yaupon, Needle point, Nordica-inkberry, Pendula-weeping yaupon, San Jose, Savannah, Stokesii Japanese, Yaupon  
**Honeysuckle:** Cape, Trumpet, Winter  
**Hopseed bush**  
**Ixora**  
**Jessamine, Carolina**  
**Juniper:** Andorra, Bar Harbor, Blue,

Blue chip, Blue rug, Blue star, Broadmoor, Creeping, Dwarf Andorra, Emerald green, Emerald sea shore, Foemina-Hicks, Hollywood, Huntington, Media-old gold, Nana-dwarf blue Japanese garden, Parsonii, Pfitzer, Pfizerana glauca-blue, Pfizerana-pfizer, Plumosa-Andorra, Prostrata, Savin, Sea green, Shore, Tamariscifolia-Tam, Torulosa-hollywood, Wiltonii-blue carpet  
**Lantana**  
**Laurel, Mountain**  
**Lavender:** English, English spike  
**Leaf:** Copper, Salal/lemon  
**Leucothoe:** Coast, Drooping  
**Lilac:** Common, Chinese, Wild  
**Lily-of-the-Nile, Queen Anne**  
**Lily-of-the-Valley:** Forest flame, Mountain fire, Snowdrift, Temple bells, Valley rose, Valley valentine  
**Mahonia:** Creeping, Dwarf Oregon grape, Leather leaf  
**Mallow, Cape**  
**Maple:** Amur, Coral bark Japanese, Dwarf Japanese  
**Marguerite, Blue**  
**Marlberry, Chirimen**  
**Morning glory, Bush**  
**Myrtle:** Crape, Wax  
**Nightshade, Paraguay**

**Oleander:** Hardy red, Ruby lace  
**Osmanthus, Fortunes**  
**Palm:** Areca, Chinese fountain, Christmas, Pigmy fate, Sago  
**Photinia, Fraser's**  
**Pine, Mugo-mugho**  
**Pink breath of heaven**  
**Pittosporum:** Green, Wheeler's dwarf  
**Plumbago**  
**Privet (Ligustrum):** Japanese, California, Glossy, Golden, Howardi, Lodense, Vicary golden, Wax, Wax leaf, Yellow tip  
**Pyracantha:** Lolendei Monrovia, Monon, Red elf hybrid, Rutgers hybrid, Santa Cruz, Victory  
**Rhaphiolepis:** Charisma-Monruce, Enchantress-Moness, India Hawthorn, Roundleaf, Springtime-Monme  
**Rhododendron:** America, Butterfly, Catawba, Catawba album, Chionoides, Cunninham white, Daphnioides, Dwarf scarlet wonder, Elizabeth, English Roseum, Gomer Waterer, Jean Marie, Lord Roberts, Nova Zembla, PJM, Purple gem, Ramapo, Rocket, Rhodie Max (rosebay), Scintillation, Tribly, Unique, Vulcan  
**Rose, Ramanas**  
**Rose of Sharon:** Aphrodite, Helene,

Red bird, Red heart, Woodbridge  
**Silver berry, Fruitland**  
**Skimmia:** Japanese, Reeve's  
**Smoke Tree:** Royal purple, Coral beauty, Eichholz  
**Spiraea:** Astilbe/False, Anthony Waterer, Bridal wreath, Dolchia, False, First snow, Japanese alpine, Shirobana  
**Spurge, Japanese**  
**Sumac, African**  
**Summersweet**  
**Sweet Pea Shrub**  
**Sweetspire, Henry Garnet holly leaf**  
**Tea tree, New Zealand**  
**Ternstroemia, Japanese**  
**Viburnum:** Common snowball, David, Doublefile, Koreanspice, Pink dawn, Spring bouquet, Tea  
**Wayfaring tree**  
**Weigela:** Bristol ruby, Java red, Minuet  
**Wintercreeper, Bigleaf**  
**Woodwaxen**  
**Woodbine:** Flowering, Serotina  
**Xylosma**  
**Yew:** Japanese, Plum  
**Yewpine**  
**Yucca**

## Trees –

**Ash, Shamel**  
**Birch:** Paper, River  
**Bottle tree**  
**Carrot wood**  
**Cherry, Yoshino flowering**  
**Coolibah tree**  
**Cottonwood**  
**Cryptomeria, Japanese**  
**Cypress:** Arizona, Emerald island leyland, Filicoides-fernspray, Gracilis-slender Hinoki, Italian,

Squarrosa-moss, Sawara-false  
**Dogwood:** Cloud nine, Flowering  
**Elm, Chinese**  
**Eucalyptus:** Mealy, Redgum, Red ironbark, Silver dollar  
**Ficus/Mini-Ficus**  
**Fir:** Balsam, White  
**Florida anise-tree**  
**Ginkgo** (Maidenhair tree)  
**Hawthorn, Green**  
**Hemlock, Eastern**

**Locust:** Honey, Shademaster honey  
**Magnolia, Southern**  
**Mahogany**  
**Maple:** Albus-flowering, Flame, Luteus-flowering, Red, Red Sunset, Roseus-flowering, Silver, Tangerine-flowering, Vesuvius red-flowering  
**Mesquite, Chilean**  
**Mulberry, White**  
**Oak:** Bear, Live, Pin, Red, Willow

**Palm:** Cat, Mexican Fan, Parlor, Queen  
**Pine:** Austrian Black, Beach, Bosnian, Bristlecone, Canary Island, Columnar Scotch, Eastern white, Eldarica, Japanese black, Monterey, Pumilio-shrubby swiss mountain, Scotch, Shore, White  
**Podocarpus**  
**Redbud**  
**Redcedar, Eastern**

**Sequoia, Giant**  
**Sourwood**  
**Spruce:** Conica-dwarf Alberta, Dwarf Alberta, Dwarf globe blue, Glauca-Colorado blue, Hoopsii-Hoop's blue, Koster-Koster blue, Norway, Pendula-weeping Norway, Repens-spreading Norway  
**Sweetgum, American**  
**Strawberry, Gilt edge**  
**Sycamore:** American, California

**Tab, Yellow**  
**Toyon**  
**Tree Fern:** Australian, Tasmanian  
**Willow:** Babylon weeping, Corkscrew

## Non-bearing Fruit and Nut Trees and Non-bearing Vineyards\* –

**Almond**  
**Apple**  
**Apricot**  
**Avocado**  
**Banana**  
**Blackberry**

**Blueberry**  
**Boysenberry**  
**Carob**  
**Cherry:** sour, sweet  
**Currant**  
**Dewberry**

**Elderberry**  
**Fig**  
**Filbert**  
**Gooseberry**  
**Grape:** American, European  
**Grapefruit**

**Kiwi**  
**Lemon**  
**Loganberry**  
**Macadamia nut**  
**Nectarine**  
**Olive:** Black, Russian

**Orange**  
**Peach**  
**Pear**  
**Pecan**  
**Pistachio**  
**Plum**

**Pomegranate**  
**Prune**  
**Raspberry**  
**Walnut:** black, English

\* Do not apply to fruit, nut or grape vineyard, which will bear fruit, within 1 year after application of Preen Mulch with Extended Control Weed Preventer.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store this product only in its original container in a cool, dry, locked place out of the reach of children and animals.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

**IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## WARRANTY

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and to the extent consistent with applicable law, Buyer assumes the risk of any such use.

## PREEN® GUARANTEE

To the extent consistent with applicable law, Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to: Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042.

Preen® is a registered trademark of Lebanon Seaboard Corporation.

EPA Reg. No. 961-408-79631

Trifluralin CAS No. 1582-09-8

Isoxaben CAS No. 82558-50-7

NET CONTENTS: 2 CU. FT. (56.63L)

NET WEIGHT 30 LBS. (13.608 KG)

COVERS 12 SQ. FT.

Fill is by volume. Some settling may occur during shipment.

**Mulch Ingredients: Processed forest products.**

\*See Use Directions for complete list of treated weeds.

Distributed by:

Oldcastle Lawn & Garden, Inc.

P.O. Box 468567

Atlanta, GA 31146

U.S.A.

[www.myoldcastle.com](http://www.myoldcastle.com)



1-800-233-1067


<http://mulch.preen.com>

## CERTIFIED PRODUCT

	Premium Potting Soil
	Standard Potting Soil
	Landscape Soil & Soil Amendment
	Specialty Soils
	✓ Mulch

This product has been registered and tested for conformance to the standards of the Mulch & Soil Council for the indicated product category. The Mulch & Soil standards do not contain a product category for pesticides, and this certification mark does not apply to pesticide claims. For more information, refer to the MSC website at [www.mulchandsoilcouncil.org](http://www.mulchandsoilcouncil.org).

G/17



PROOF OF PURCHASE  
COMPROBANTE DE COMPRA

# MEDIDAS DE PRECAUCIÓN: PELIGROS A LOS SERES HUMANOS Y A LOS ANIMALES DOMÉSTICOS

## PRECAUCION

Causa irritación leve en los ojos. Dañino o mortal si se ingiere. Evite el contacto prolongado con los ojos, la piel o la ropa. El contacto prolongado o frecuente con la piel puede causar reacciones alérgicas en algunas personas. Lave la piel minuciosamente con agua y jabón después de la manipulación. Si el producto entra en contacto con la ropa, lávela antes de volver a usarla.

PRIMEROS AUXILIOS	
SI ENTRA EN CONTACTO CON LOS OJOS:	<ul style="list-style-type: none"> <li>Mantenga el ojo abierto y enjuague lenta y suavemente con agua durante 15-20 minutos.</li> <li>Si tiene puestos lentes de contacto, retírelos luego de 5 minutos y siga enjuagándose los ojos.</li> <li>Llame a un centro de control de tóxicos o a un médico para solicitar tratamiento.</li> </ul>
SI SE INGIERE:	<ul style="list-style-type: none"> <li>Llame inmediatamente a un centro de control de envenenamiento o a un médico para obtener asesoramiento sobre el tratamiento.</li> <li>Haga que la persona tome agua, si puede tragar.</li> <li>No induzca el vómito, a menos que se lo indique un médico o el centro de control de tóxicos.</li> <li>No administre nada por vía oral a una persona inconsciente.</li> </ul>
SI SE INHALA:	<ul style="list-style-type: none"> <li>Lleve la persona a un lugar con aire fresco.</li> <li>Si la persona no respira, llame al 911 o a una ambulancia, luego administre respiración artificial, preferentemente boca a boca, si es posible.</li> <li>Llame a un centro de control de tóxicos o a un médico para solicitar tratamiento.</li> </ul>
Tenga a mano el envase del producto o la etiqueta cuando llame al centro de control tóxicos o al médico para consultar por el tratamiento. También puede llamar al 1-888-208-1368 para obtener información de tratamiento médico de emergencia.	

## RIESGOS PARA EL AMBIENTE

Los ingredientes activos de este producto son extremadamente tóxicos para peces y otros organismos acuáticos, incluidos los camarones y las ostras. Úselo con cuidado al aplicarlo en áreas adyacentes a cualquier superficie acuática. El escurrimiento desde aguas tratadas puede perjudicar a los organismos acuáticos de los sitios acuáticos adyacentes. No lo aplique directamente en el agua. No contamine el agua cuando limpie el equipo o cuando deseche el agua con que lavó el equipo.

## INSTRUCCIONES PARA EL USO

Constituye violación de la Ley Federal utilizar este producto de una manera distinta a la estipulada en la etiqueta. LEA LA ETIQUETA COMPLETAMENTE ANTES DE UTILIZAR ESTE PRODUCTO. USE SÓLO SEGÚN LAS INSTRUCCIONES DE LA ETIQUETA. Antes de comprar este producto, lea la sección de Garantía que aparece en esta etiqueta. Si no acepta los términos, devuelva inmediatamente el contenedor sin abrir al lugar de la compra.

## INFORMACIÓN DEL PRODUCTO

Este producto contiene un abono de jardinería de primera calidad, tales como madera, pino y ciprés o una combinación de allí junto con otros dos herbicidas pre-emergentes de larga duración. Una de las aplicaciones de este producto de 6 meses, el control de malezas de hoja ancha\* y gramíneas anuales en camas de flores y plantas ornamentales. Además de que ayuda a las zonas ajardinadas a retener la humedad - la protección de sus plantas, árboles y arbustos de las temperaturas extremas. Este producto ofrece un mayor control de malas hierbas\* cuando se utiliza según las indicaciones. Este abono contiene productos de bosques naturales y no contiene residuos de madera reciclada.

## RESTRICCIONES DE PRODUCTOS

### USE GUANTES PARA LA MANIPULACIÓN

No aplique cerca de albercas con peces, estanques, arrollos o lagos.

Para uso SÓLO en especies ornamentales. Úselo sólo en plantas ornamentales establecidas.

PARA USO RESIDENCIAL EN EXTERIORES.

No lo use en huertas..

**NO USE ESTE COMPUESTO DE MATERIALES NATURALES CERCA DE ÁRBOLES FRUTALES O DE FRUTOS QUE PRODUZCAN ALIMENTOS, NI DE VERDURAS, HIERBAS U OTRAS PLANTAS COMESTIBLES.**

No aplique este producto en las siguientes especies de plantas para evitar que sufran daños:

Acanto, hoja de roble	Pinillo	Rubdeckia morada	Junípero, Príncipe de Gales	Rododendro: Carolina, Roseum,	Uva de gato
Aliento de bebé (gypsophila), manto de novia	Evónimo enano	Geranio alpino	Pulmonaria, Bertram Anderson	elegans	Yuca verde
Corazón de virgen, frondosa	Melaleuca	Dedalera	Hierba doncella	Arenaria Montana	
	Cestillo de plata	Hortensia	Flox paniculada	Tártago	

## Malezas controladas y/o eliminadas

### Malezas de césped anuales:

Cebada, liebre	Cheat	Cola de zorro amarilla	Césped llorón	Roseta	Césped hediondo
Capín arroz	Garranchuelo	Cuajaleche	Avena silvestre	Sorgo	Mastuerzo
Césped azul anual	Piojillo	Césped Johnson (de semilla)	Panicum	Césped barrera	Gramma
Bromo	Festuca, cola de ratón	Césped colorado	Ballico anual	Triguillo	

### Malezas de hoja ancha:

Aster	Datura	Hierba carnífera	Mostaza	Ambrosia	Cardo
Corregüela	Acedera	Estramonio	Ortiga	Matacandil	Canutillo
Mastuerzo amargo	Manzanilla bastarda	Centaura negra	Hierba mora	Pata de guanaco	Malva amarilla
Botón dorado	Elipta	Falso ciprés	Cardo perruno	Alforja	Laurel de San Antonio espigado
Trébol de carretilla	Primavera nocturna	Persicaria	Centella	Malva de caballo	Aleluya
Ambrosia áspera	Ortiga	Quinoa blanca	Lentejilla de campo	Persicaria de estero	
Verdolaga alfombra	Alfilerillo	Camambú	Sarandí	Rosa de Jamaica	
Zanahoria	Achicoria de cabra	Escarola	Anagálide	Cardo ajonjero	
Vallisneria americana	Pulicaria	Malva	Hierba de la piña	Verónica	
Peronilla del pasto	Estrellita venenosa	Erigeron del Canadá	Plantago	Tártago	
Pamplina	Geranio Carolina	Manzanilla hedionda	Hierba carmín	Girasol	
Trébol blanco	Quinoa negra	Lupulina	Verdolaga	Trebol de olor	
Siempre viva púrpura	Senecio	Vid azul	Verdolaga de Florida	Mostacilla	
Diente de león	Ortiga mansa	Dondiego de día	Rábano silvestre	Cola de chango	

## CUÁNDO APLICAR

Este compuesto de materiales naturales contiene herbicidas preemergentes y para obtener mejores resultados, se recomienda quitar toda la maleza de los mantos antes de su aplicación. Aplicar en la primavera y el otoño después de la renovación de camas. Para obtener mejores resultados, aplique este producto después de haber plantado las flores y mantos ornamentales en el suelo. No aplique sobre semillas de flores.



# CÓMO APLICAR

**Bulbos y plantas perennes:** esparza este producto sobre el área a una profundidad de 5 cm. **No plante flores directamente en el compuesto de materiales naturales.** Si desea plantar algo después de haber aplicado este producto, primero retire el compuesto de materiales naturales del área seleccionada. Evite que caiga compuesto de materiales naturales tratado en el agujero que usará para plantar. Una vez que la planta esté firmemente enterrada en el suelo, coloque el compuesto de materiales naturales alrededor de ella.

**Plantas anuales:** luego de que las plantas se han asentado en el suelo, esparza este producto sobre el área a una profundidad de 5 cm. No aplique más de una vez por sitio al año. Los ingredientes activos de Preen Mulch Plus pueden dañar algunas plantas anuales. Si le preocupa dañar sus plantas anuales, no use este producto.

## ESTE PRODUCTO SE SUGIERE PARA EL USO en torno a estas plantas va establecidas

### Bulbos, flores, cubiertas vegetales y céspedes ornamentales:

<b>Amarilis</b>	<b>Campanas de coral</b>
<b>Artemisia schmidtiana</b>	<b>Dama de noche</b>
<b>Astilbe, Deutschland</b>	<b>Geranio</b>
<b>Aster:</b> China, Nueva Inglaterra, Nueva York	<b>Parra virgen</b>
<b>Platanera de Abisinia</b>	<b>Narciso</b>
<b>Bergamota silvestre</b>	<b>Dalia, Wendy rosada enana</b>
<b>Begonia:</b> planta camaleón, Begonia de invierno	<b>Margarita:</b> angelita, margarita del cabo, margarita de mar, margarita de París, brachicome
<b>Verbena amarilla</b>	<b>Azucena amarilla</b>
<b>Margarita amarilla</b>	<b>Descampsia</b>
<b>Gallardia</b>	<b>Dianthus gratianopolitanus</b>
<b>Balsamina</b>	<b>Senecio/Calflora</b>
<b>Arctotheca caléndula</b>	<b>Margaritero gris</b>
<b>Carex halleriana</b>	<b>Helecho</b>
<b>Crisantemo</b>	<b>Festuca azul</b>
<b>Clemátide</b>	<b>Fuccia, Santa Claus</b>

<b>Tulbagia violácea</b>
<b>Sanítula</b>
<b>Gazania</b>
<b>Geranio:</b> geranio de hiedra, pelargonio
<b>Gladiolo</b> (bulbo de más de 2,5 cm de diámetro)
<b>Césped:</b> amophila breviligulata, cola de gato, convalaria, araliáceas, eulalia, peniset, convolaria, hierba de la pampa, pastos ornamentales
<b>Guara</b>
<b>Hakonechloa dorado</b>
<b>Brezo:</b> falso, mexicano
<b>Madreselva japonesa</b>
<b>Equisetum scirpoides</b>
<b>Hosta undulata</b>

<b>Jacinto</b>
<b>Uña de gato:</b> hoja grande, rastrera, rosa rastrera, blanca
<b>Iris:</b> africana, bulbosa, siberica azul, iris pumila
<b>Hiedra:</b> hiedra de argelia, inglesa
<b>Jazmín:</b> alas de ángel, asiático
<b>Flor de papel</b>
<b>Lirio:</b> iris blanco, hosta Francee, hosta Patriot, peruana, kafir
<b>Liriope:</b> grande de color azul, verde/trepadora, lila, majestuosa, blanca Monroe, plateada jaspeada, blanca
<b>Lirio del Nilo</b>
<b>Lisiantus rosado</b>
<b>Lobelia</b>

<b>Lysimachia punctata</b>
<b>Jazmín asiático</b>
<b>Sombrero mexicano</b>
<b>Narciso</b>
<b>Campanilla de coral</b>
<b>Penstemon:</b> flor de manzano
<b>Vinca:</b> hierba doncella, enana, pervinca tropical
<b>Petunias de jardín</b>
<b>Plombagina, enana</b>
<b>Primavera nocturna mexicana</b>
<b>Romero</b>
<b>Petunia mexicana</b>
<b>Salvia:</b> salvia rosa, pectus, salvia rusa
<b>Cabeza de dragón</b>
<b>Cerastio</b>

<b>Tártago japonés</b>
<b>Hierba de San Juan</b>
<b>Pentas</b>
<b>Acela silvestre</b>
<b>Stock</b>
<b>Uva de gato (Sedum):</b> hierba callera, vera jameson
<b>Camelina dulce</b>
<b>Árbol de té, escoba</b>
<b>Tulipán verbena</b>
<b>St. Paul</b>
<b>Alelí</b>
<b>Milenrama común</b>
<b>Yuca roja</b>
<b>Zinia enana</b>

### Arbustos:

<b>Abelia:</b> Edward Goucher, lustroso
<b>Acacia:</b> abyssinica, gaultheria depressa, amorphia canescens
<b>Almendra enano con flores rosas</b>
<b>Aptenia cordifolia "manzana roja"</b>
<b>Aralia japonesa</b>
<b>Arborvitae:</b> platycladus orientalis, esmeralda, carex globosa, thuja occidentalis "Little giant", mínima glauca enana, thuja occidentalis nigra oscuro americano, piramidalis, rheingold, techny, woodwardii
<b>Azalea:</b> azul danubio, Cannon's double, Carror, campanas de coral, Fashion, Flame, Formosa, Gerard Christina, Gerard Roberta, Golden flare, Goldenflare exbury, Gumbo pink, Helmutvogel, Hersey red, Higasa, Hinocrimson, Hino pink, Hot shot, Hume, Inga, Irene Koster, Klondike, Mildred, President Clay, Reijn, Snow, Tradition, rhododendrum indica
<b>Bambú:</b> compacta enana, nandina doméstica, nandina, nandina doméstica compacta, nandina doméstica púrpura, nandina doméstica enana del bosque
<b>Agracejo:</b> atropurea de hoja roja japonesa, pino dorado japonés (pinus densiflora "aurea"), rhododendron prunifolium, berberis thunbergii, japonés, mento, rose glow, William Penn

### Árboles:

<b>Fresno</b>
<b>Abedul:</b> abedul americano, abedul de río
<b>Árbol botella</b>
<b>Algarrobo</b>
<b>Madera de zanahoria</b>
<b>Cerezo, floración de Yoshino</b>
<b>Árbol Coolibah</b>
<b>Álamo de Virginia</b>
<b>Cedro japonés</b>
<b>Ciprés:</b> ciprés de Arizona, ciprés de Leyland, ciprés japonés, ciprés de

### Árboles frutales, plantas y viñas que no producirán frutos\*:

<b>Almendra</b>
<b>Manzano</b>
<b>Damasco</b>
<b>Aguacate</b>
<b>Banano</b>
<b>Mora negra</b>

<b>Carióptera</b>
<b>Carióptera oscura</b>
<b>Calistemus:</b> limón, llorón
<b>Bugambilia:</b> arbusto pachisandra (Barbara Karst), California gold, Pink pixie, Scarlett O'Hara, temple fire, Texas dawn
<b>Boj:</b> común, boxus híbrida, japonés, coreano
<b>Retama:</b> holandia-Scotch, hollandia-warminster, lena-Scotch
<b>Eugenia enana</b>
<b>Camelia</b>
<b>Casia plumosa</b>
<b>Agave americana</b>
<b>Cincoenrama (Potentilla):</b> Gold Drop, Goldfinger, Red Ace, Verna, Sunset, Tangerine
<b>Cleyera japonesa</b>
<b>Cotoneaster:</b> gayuba, arándano, himalayo, Praecox (temprana), Pirineos, roca
<b>Arbusto de coyote</b>
<b>Arándano/Arándano enano</b>
<b>Ciprés:</b> filifera roscada, kosteri, hinoki nandina enana, squarrosa minima, torulosa
<b>Dafne perfumada</b>
<b>Deutzia, Nakiana enana</b>
<b>Cornejo:</b> baileyi, osier baileyi rojo, flaviramea, flaviramea-yellowtwig, siberica-siberian
<b>Euonymus:</b> bonetero rastrero, bonetero del japon, evónimo Emerald'n Gold, evónimo japonico

hinoki, ciprés italiano, falso ciprés
<b>Cornejo:</b> cornejo florido, cornejo de flor
<b>Olmo chino</b>
<b>Eucalipto:</b> eucalipto cinerea, eucalipto rojo, eucalipto tricarpa, árbol plateado
<b>Ficus y ficus miniatura</b>
<b>Abeto:</b> balsámico, Douglas, blanco
<b>Árbol de anís de Florida</b>
<b>Ginkgo biloba</b>
<b>Hawthorn, verde</b>

Aureo-Marginata, evónimo Silver King, Euonymus kiautschovicus, evónimo Sunspot, evónimo Variegated evergreen
<b>Margaritero gris</b>
<b>Helecho:</b> tassel, pintado japonés
<b>Forsitia:</b> intermedia, Spring glory
<b>Loropetalum chinense</b>
<b>Gardenia:</b> belleza de agosto, misterio, radican
<b>Nana gracilis</b>
<b>Brezo:</b> de Cornualles, con campanas violetas, de color rosa mediterráneo, linterna de primavera escocesa
<b>Hibisco Ross Estey</b>
<b>Acebo:</b> balcánico, Blue boy, Blue girl, de Burford, China boy, China girl, Ilex glabra compacto, enano japonés compacto, Ilex crenata convexa, enano de Burford, enano chino, Ilex aquifolium, Gold coast, de la lustre, Helli-Heller's japonés, Hetzii's japonés, yaupon enano, punta de aguja, Ilex glabra, yaupon que llora, de San José, de la Savannah, Stokesii japonés, yaupon
<b>Madreselva:</b> del cabo, de trompeta, de invierno
<b>Chirca de monte</b>
<b>Ixora</b>
<b>Jazmín amarillo</b>
<b>Junipero:</b> andorra, Bar Harbor, azul, Juniperus horizontalis wiltoni

<b>Tsuga del Canadá</b>
<b>Algarrobo:</b> acacia negra, Shademaster miel
<b>Magnolia sureña</b>
<b>Caoba</b>
<b>Arce:</b> farolito japonés, arce de amor, abutilón Luteus, arce rojo, arce de Canadá, abutilón Roseus, arce plateado, abutilón Tangerine, abutilón Vesubius red
<b>Mezquita chilena</b>
<b>Mora blanca</b>

Blue Chip, Juniperus squamata
Blue Star, Juniperus sabina
Broadmoor, Juniperus horizontalis
Creeping, Andorra enana, juniperus scopulorum, juniperus conferta, Foemina-Hicks, Hollywood, Huntington, Media-old gold, enana azul de jardín japonés, Parsonii, Pfitzer, Pfitzerana glauca-blue, Pfitzerana-pfitzer, Plumosa- Andorra, Prostrata, sabina, verde oscuro, Shore, Tamariscifolia-Tam, Torulosa-hollywood, Wiltonii-blue carpet
<b>Lantana</b>
<b>Laurel de montaña</b>
<b>Lavanda:</b> inglesa, alhucema
<b>Hoja:</b> cobre, salal/limón
<b>Leucothoe:</b> costero, encorvado
<b>Lila:</b> común, china, silvestre
<b>Lirio del Nilo, Reina Ana</b>
<b>Lirio del valle:</b> llamas del bosque, fuegos de la montaña, acumulación de nieve, campanas del templo, rosa del valle, andrómeda
<b>Mahonia:</b> rastrera, mahonia nervosa, helecho Leather leaf
<b>Malva imperial</b>
<b>Arce:</b> amur, corteza coral japonesa, enano japonés
<b>Margarita azul</b>
<b>Ardisia japónica</b>
<b>Dondiego de día, arbusto</b>
<b>Mirto:</b> crape, cera
<b>Solano del Paraguay</b>

<b>Roble:</b> Quercus ilicifolia, roble de virginia, pin, rojo, sauce
<b>Palmera:</b> palma cascada, palmera mexicana, palma de salón, coco plumoso
<b>Pino:</b> austriaco negro, de playa, bosnio, bristlecone, Islas Canarias, columnar escocés, blanco oriental, afgano, negro japonés, loblolly, monterey, pumilio-shrubby suizo de montaña, rojo, escocés, Shore, blanco

<b>Adelfa:</b> laurel de flor, rosa laurel
<b>Osmanthus fortunei</b>
<b>Palmera:</b> areca, fuente china, navidad, pigmea, sago
<b>Photinia de Fraser</b>
<b>Pino, mugo-mugho</b>
<b>Coleonema pulchrum</b>
<b>Pitospero:</b> verde, enano de Wheeler
<b>Plumbago</b>
<b>Ligustro:</b> japonés, California, brillante, dorado, Howardi, Lodense, Vicary golden, cera, hoja de cera, punta amarilla
<b>Piracanta:</b> árbol ardiente, piracanta Monon, espino de fuego, piracanta Red elf, piracanta Rutgers, Santa Cruz, Victoria
<b>Rhaphiolepis:</b> charisma-monruce, enchantress-monness, de hoja redonda, espino de la india, monme de primavera
<b>Rhododendro:</b> americano, mariposa, catawba, catawba album, Chioniodes, Cunninham blanco, Daphinoides, rhododendrum racemosum, Elizabeth, inglés Roseum, forestii repens, rhododendron griffithianum, rhododendro catawbiense, rhododendro híbrido, PJM, Purple gem, Ramapo, Rocket, rhododendron maximum (rosebay), Scintillation, Tribly, Unique, Vulcan
<b>Rosa rugosa</b>

<b>Podocarpus</b>
<b>Árbol de Judas</b>
<b>Cedro rojo oriental</b>
<b>Secuoya gigante</b>
<b>Oxydendrum arboreum</b>
<b>Picea:</b> picea blanca cónica enana, abeto de Alberta enano, azul Globe enano, Glauca-Colorado azul, picea azul, picea pungens, noruega, Picea abies Pendula, picea abies
<b>Liquidámbar americano</b>
<b>Fresa de bordes dorados</b>

<b>Rosa de Sharon:</b> afroditia, helena, pájaro colorado, corazón rojo, Woodbridge
<b>Eleagno</b>
<b>Esquimia:</b> japonés de Reeve
<b>Árbol de humo:</b> violeta real, belleza de coral, Eichholz
<b>Espirea:</b> astilbe/falsa, Anthony Waterer, corona de novia, Dolchia, falsa, First Snow, de los Alpes japoneses, shirobana
<b>Tártago japonés</b>
<b>Sumac de África</b>
<b>Summersweet</b>
<b>Guisante de olor</b>
<b>Sweetpire, Henry Garnet, hoja de acebo</b>
<b>Árbol del té, Nueva Zelanda</b>
<b>Cleyera japónica</b>
<b>Viburnum:</b> bola de nieve común, David, Viburnum plicatum, Koreanspice, rosas trepador, rosas miniatura, té
<b>Viburnum lantana</b>
<b>Weigela:</b> bristol ruby, rojo Java, minué
<b>Bonetero rastrero</b>
<b>Genista lydia</b>
<b>Madreselva:</b> parra silvestre, serótnina
<b>Xylosma</b>
<b>Tejo:</b> ciruelo japonés
<b>Pino de tejo</b>
<b>Yuca</b>

<b>Sicomoro:</b> americano, de California
<b>Lapacho amarillo</b>
<b>Tayon</b>
<b>Helecho arbóreo:</b> australiano, tasmaniano
<b>Sauce:</b> sauce llorón, sauce tortuoso

\*No se aplican a la viña de frutas u otros frutos o de uva, que dará sus frutos, dentro de un año después de la aplicación de este producto.

# ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua, los alimentos o el forraje al almacenar o desechar.

**ALMACENAMIENTO DEL PESTICIDA:** guarde el producto en su envase original en un lugar fresco y seco cerrado, fuera del alcance de los niños y los animales.

**PESTICIDAS uso y manipulación recipiente:** El recipiente no rellenables. No vuelva a usar o rellenar este envase. **Si está vacío:** Coloque en la basura u ofrezca para reciclaje si está disponible.

**Si está parcialmente lleno:** Llame a su agencia local de desechos sólidos para obtener instrucciones de eliminación. Nunca vierta el producto no utilizado en drenajes interiores y exteriores.

## GARANTÍA

El fabricante garantiza que este producto es conforme a su descripción química y es razonablemente adecuado para el propósito indicado en la etiqueta cuando se utiliza según las instrucciones en condiciones normales de uso, pero ni esta garantía ni ninguna otra garantía de comerciabilidad o aptitud para un propósito particular, expresa de las garantías implícitas, se extiende al uso de este producto contraviniendo instrucciones de la etiqueta, o en condiciones anormales, o bajo condiciones razonablemente no predecibles a un fabricante, y en la medida compatible con la ley aplicable, el comprador asume el riesgo de tal uso.

## GARANTÍA PREEN®

En la medida compatible con la legislación aplicable, Libanon Seaboard Corporation garantiza que usted estará satisfecho con el rendimiento de este producto cuando se utiliza según las instrucciones, o le devolvemos su dinero. Si no está satisfecho, describir la naturaleza de su problema, y enviar el comprobante de compra a: Lebanon Seaboard Corporation, 1600 E. Cumberland Street, Lebanon, PA 17042.

## PRECAUCIÓN

MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS

El color dura todo el año

Evita que crezca la maleza\* hasta por 6 meses. ¡Garantizado!

\* Vea las Instrucciones de uso para la lista completa de las malezas tratadas.

Preen® es una marca registrada de Lebanon Seaboard Corporation.

CONTENIDO NETO 2 PIES<sup>3</sup> (56,63 L)

PESO NETO 30 LBS. (13,6 KG)

CUBRE 12 PIES<sup>2</sup> (1,11 m<sup>2</sup>)

El llenado es por volumen.

Puede que se produzca asentamiento durante el envío.

Distribuido por:

Oldcastle Lawn & Garden, Inc.

P.O. Box 468567

Atlanta, GA 31146

U.S.A.

[www.myoldcastle.com](http://www.myoldcastle.com)

**Mulch Ingredientes: productos forestales procesados.**

### CERTIFIED PRODUCT

 <b>MULCH &amp; SOIL COUNCIL</b>	Tierra superior para macetas
	Tierra estándar para macetas
	Tierra para el césped y el jardín y enmiendas para la mejora de la tierra
	Tierra de especialidad
	✓ Pajote

Este producto se ha registrado y ha sido probado para la conformidad a los estándares del Mulch & Soil Council para la categoría indicada del producto. Los estándares del Mulch & Soil Council no contienen una categoría del producto para pesticidas, y para esta marca de la certificación no aplica a reclamos de pesticida. Para más información, refiérase a [www.mulchandsoilcouncil.org](http://www.mulchandsoilcouncil.org).

### INGREDIENTES ACTIVOS:

Trifluralina .....0,0032%

Isoxaben .....0,0008%

OTROS INGREDIENTES: 99,9960%

TOTAL ..... 100,0000%

EPA Reg. No. 961-408-79631

Trifluralin CAS No. 1582-09-8

Isoxaben CAS No. 82558-50-7

(HC) (MH) (CC) (BW) (FG) (SD) (PL) (LB) (PS) (WY) (SG) (AJ) (QT) (HR) (AB) (MI) (PK) (HO) (PO) (LI) (IN) (SP) (TY) (BP) (CH) (SW) (MN) (BR)

EPA Est. No. 79631-FL-001; 79631-FL-002; 79631-FL-003; 79631-FL-004; 79631-FL-005; 79631-GA-002; 79631-SC-001; 79631-NC-001; 79631-ME-001; 79631-RI-001; 79631-IL-001; 79631-WI-001; 79631-PA-001; 79631-OK-002; 79631-NC-002; 79631-OK-001; 79631-KS-001; 79631-AR-001; 79631-TX-001; 79631-TX-002; 79631-IN-001; 79631-NJ-001; 79631-MS-002; 79631-MI-001; 79631-IN-002; 79631-KS-002; 79631-NY-001; 79631-NY-002;

Superscript used is first two letters of lot number.

El superíndice usado son las dos primeras letras del número de lote.