

LANDSCAPE
MULCH WITH WEED* PREVENTER!

Preen®

MULCH

WITH

EXTENDED CONTROL

WEED PREVENTER¹

PREVENTS WEEDS* FOR UP TO
4
MONTHS
GUARANTEED!

LANDSCAPE

MULCH **WITH** WEED* PREVENTER!

MICRODOT

CHESTNUT BROWN MULCH

COLOR LASTS ALL YEAR!

MONTHS GUARANTEED!

4

PREVENTS WEEDS* FOR UP TO

* SEE USE DIRECTIONS FOR COMPLETE LIST OF TREATED WEEDS.

ACTIVE INGREDIENT:
Trifluralin..... 0.0032%
OTHER INGREDIENTS: ... 99.9968%
TOTAL..... 100.0000%

KEEP OUT OF REACH OF CHILDREN
CAUTION
See back panel for First Aid and additional Precautionary Statements.

COVERS 12 SQ. FT.

NET CONTENTS 2 CU. FT. (56.63L)

CHESTNUT BROWN
MULCH
COLOR LASTS ALL YEAR!

*** SEE USE DIRECTIONS FOR COMPLETE LIST OF TREATED WEEDS.**

ACTIVE INGREDIENT:

Trifluralin **0.0032%**

OTHER INGREDIENTS: . . . 99.9968%

TOTAL 100.0000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for First Aid and additional Precautionary Statements.

COVERS 12 SQ. FT.

NET CONTENTS 2 CU. FT. (56.63L)

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear: Long-sleeved shirt and long pants, socks, shoes and gloves. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing• Rinse skin immediately with plenty of water for 15-20 minutes.• Call poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO LABEL INSTRUCTIONS. Before buying this product, read the Warranty Section elsewhere on this label. If terms are not acceptable, return the unopened container to the place of purchase at once.

PRODUCT INFORMATION

This landscaping product contains a premium quality mulch such as Hardwood, Pine, Cedar and Cypress or combination thereof together with a long-lasting preemergence herbicide. One application of Preen Mulch with Extended Control Weed Preventer¹ provides 4 months control of broadleaf weeds* and annual grasses in ornamental beds. Plus it helps landscaped areas retain moisture - protecting your plants, trees and shrubs from extreme temperatures. Preen Mulch with Extended Control Weed Preventer¹ provides increased weed* control vs. ordinary mulches, when used as directed. This mulch contains natural forest products and contains no recycled waste wood. These materials are ideal for mulches because they naturally degrade over time, turning into valuable organic matter.

PRODUCT RESTRICTIONS

FOR OUTDOOR RESIDENTIAL USE.

NOT FOR USE ON LAWNS.

APPLICATION RESTRICTIONS: Do not apply this product in a way that will contact any person or pet, directly or through drift. Keep people and pets out of the area during application.

ENTRY RESTRICTIONS: Do not allow people or pets to enter the treated area until dusts have settled.

WEAR GLOVES WHEN HANDLING.

Do not apply near fish pools, ponds, streams, or lakes.

Do not use mulch around Ajuga, Myrtle, or Pachysandra until it is well established, as injury may result.

Do not use with plants other than those listed on this label.

Do not apply over flower or vegetable seeds.

To prevent possible staining to unintended surfaces, ex: concrete, stone walks, vinyl surfaces, etc., sweep up stray product as soon as possible.

NOT FOR USE ON PLANTS BEING GROWN FOR SALE OR OTHER COMMERCIAL USE, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RE-SEARCH PURPOSES, FOR USE ON PLANTS INTENDED FOR AESTHETIC PURPOSES, OR CLIMATIC MODIFICATIONS AND BE-ING GROWN IN ORNAMENTAL GARDENS.

ANNUAL WEEDS CONTROLLED

Grassy weeds: Barley, Hare; Barnyardgrass (Watergrass); Bluegrass, Annual; Brome; Cheat; Crabgrass; Cupgrass: Southwestern, Woolly; Fescue, Rattail; Foxtail; Guinea grass; Goosegrass; Johnsongrass (from seed); Junglerice; Lovegrass; Oat, Wild; Panicum: Fall, Texas; Sandbur; Shattercane; Signalgrass (*Brachiaria*); Sprangletop; Stinkgrass; Wildcane; Witchgrass.

Broadleaf weeds: Carelessweed; Carpetweed; Chickweed; Goosefoot; Henbit; Knotweed; Kochia; Lambsquarters; Nettle, Stinging; Pigweed; Puncturevine (Western U.S. only); Purslane; Pusley, Florida; Thistle, Russian.

PREEN MULCH WITH EXTENDED CONTROL WEED PREVENTER¹ IS SUGGESTED FOR USE AROUND THESE PLANTS

Bulbs, Flowers, Herbs, Ground Covers & Ornamental Grasses -

Aaronsbeard	Calendula	Cotoneaster	Forget-me-not	Mondo, Pampas, Ribbon,	Lamb's ears	Narcissus	Rosemary	Strawberry, Beach
Alyssum	Calliopsis	Coyote bush, Dwarf	Four o'clock	Zoysia; Guara; Hakonechloa,	Lavander, English	Nasturtium	<i>Rudbeckia</i>	Sunflower
Arctotis	Cape weed	Crown vetch	Foxglove	Golden	Lily turf: Big blue,	Nicotiana	Rupturewort	Sweet alyssum
Aster (perennial)	Carex, Variegated	Daffodil	Gaillardia	Hollyhock	Green/creeping, Lilac beauty,	Ozark sundrop	Sage, Russian	Sweet pea
Aster, Stoke's	Carnation	Dahlia	Gayfeather	Hosta, Albo-marginata	Magestic, Silvery sunproof,	Periwinkle (Vinca)	Salvia	Sweet sultan
Baby's breath	Carpet bugle (<i>Ajuga</i>)	Daisy: African, Painted,	Gazania	Hyacinth	Variegated lirioppe, White	Peter Pan, Dwarf	Silver mound	Sweet william
Balsam	Ceanothus	Shasta, Trailing African	Geranium	Ice plant: Largeleaf, Trailing,	Lily-of-the-nile	Petunia	Snapdragon	Thrift
Beard tongue	Centaurea, Velvet	Daylily	Germander	Trailing rosea, White	Lobelia	Phlox	Snow-in-summer	Tickseed
Bee balm	Chrysanthemum	Descampsia	Geum;	Impatiens	Lupine (<i>Lupinus</i>)	Pincushion flower (<i>Scabiosa</i>)	Snow-on-the-mountain	Tulip
Begonia	Coneflower, Purple	Dianthus	Gladiolus (corms more than 1"	Iris, Bulbous	Marigold	Plumbago, Dwarf	Speedwell	Verbena
Bellflower	Coral bells	Dusty miller	in diameter)	Ivy: Algerian, California,	Marigold, Cape	Poppy, California	Spurge, Japanese	Wire plant
Black-eyed susan	Coreopsis	Fern, Asparagus	Golden glow	English, Needlepoint;	(<i>Dimorphotheca</i>)	Portulaca	St. John's wort	Wirevine, Creeping
Bleeding heart	Cornflower, Purple	Fescue, Blue	Grass: Beech, Dwarf Mondo,	Ixora	Morningglory	Rockrose	Stalice; Stock	Yarrow (<i>Achillea</i>)
Bunge	Cosmos	Floss flower (<i>Ageratum</i>)	Eulalia, Fountain, Mascarene,	Jasmine: Angelwing, Asaian	Myoporum	Rose	Stonecrop (<i>Sedum</i>)	Zinnia

Shrubs -

Abelia: Edward Goucher, Glossy	heavenly, Nana purpurea- heavenly, Woods dwarf heavenly	Camellia: Japanese, Sasanqua	Deutzia	Guava, Pineapple	Leucothoe: Coast, Drooping	Pieris Japonica	bird, Woodbridge	Willow
Acacia: Abyssinica, Prostrate, Shoestring	Barberry: Atropurea-redleaf Japanese, Aurea-golden	Cassia, Feathery	Dogwood: Bailey red osier, Flaviramea-yellowtwig, Sibirica-Siberian	Hawthorn, India	Lilac: Common, Chinese, Wild	Pine, Mugo-mugho	Sakaki	Woodwaxen
Andromeda, Japanese	Japanese, Crimson pygmy,	Century plant	Cherry: Carolina laurel, Dwarf pink flowering almond	Heather: Cornish, Purple bell, Mediterranean pink, Spring torch scotch	Lily-of-the-Valley: Forest flame, Mountain fire,	Pittosporum: Green, Japanese, Wheeler's dwarf	Silverberry	Woodbine: Flowering, Serotina
Arborvitae: American, Aureus nana-dwarf golden, Emerald, Globosa-globe, Little giant-dwarf, Minima	Japanese, Mento, Rose glow, William Penn	Cherry	Cinquefoil	Hibiscus, Ross Estey	Snowdrift, Templebells, Valley rose, Valley valentine;	Plumbago	Skimmia: Japanese, Reeve's	Smoke Tree: Royal purple, Coral beauty, Eichholz
glauca-dwarf, Nigra-dark	Bottlebrush: Lemon, Weeping	Cotoneaster: Bearberry, Cranberry, Himalayan,	Cleypa, Japanese	Holly	Mahonia: Creeping, Leather leaf	Privet	Spiraea: Anthony Waterer, Bridal wreath, Dolchia, False, Japanese alpine, Shirobana,	Yew: Anglojap, Plum, Upright Japanese
American, Pyramidalis- pyramid, Rheingold, Techny	California gold, Pink pixie, Scarlett O'Hara, Temple fire, Texas dawn	Cotoneaster	Coyotebush	Honeysuckle: Cape, Trumpet	Maple: Amur, Coral bark Japanese, Dwarf Japanese	Red Cedar, Eastern	Spiraea	Yewpine
Azalea	Boxwood: Common, Harlands, Japanese, Korean, Littleleaf	Cypress: Filifera-thread, Kosteri, Nana-dwarf Hinoki, Torulosa	Cypress	Hopseed bush	Mock orange	Rhaphiolepis: Charisma- Monruce, Enchantress- Moness, Roundleaf, Springtime-Monme	Spiraea	Yucca
Bamboo: Compacta-dwarf, Harbour dwarf-heavenly, Heavenly, Nana-compacta-	Broom: Hollandia-warminster, Lena-Scotch	Daphne, Fragrant	Daphne	Ixora	Myrtle: Crape, Wax	Rhododendron	Spiraea	
				Jessamine, Carolina	Oleander: Hardy red, Ruby lace	Robira	Spiraea	
				Lantana	Osmanthus, Fortunes	Rose	Spiraea	
				Laurel: American Cherry, Mountain	Palm: Areca, Chinese fountain, Christmas, Pigmy date, Sago	Rose of Sharon: Heart, Red	Spiraea	
				Leaf: Copper, Salal/lemon	Photinia, Fraser's		Spiraea	

Trees -

Ash: Shamel, White	Cypress: Arizona, Bald,	Redgum, Red ironbark, Silver dollar	Linden	Silver, Sugar, Tangerine- flowering, Vesuvius	Pine: Austrian, Beach, Bosnian, Bristlecone, Canary Island, Columnar	Planetree, London	Hoopsii-Hoop's blue, Koster-Koster blue,	Toyon
Birch: European white, Paper, River	Filicoides-fernspray, Gracilis-slender Hinoki, Squarrosa-moss, Swara false	Ficus, Mini	Locust: Black, Honey, Shademaster honey	red-flowering	Scotch, Eastern white, Eldarica, Japanese black, Loblolly, Monterey, Pumilio-shrubby swiss	Podocarpus	Norway, Pendula-weeping	Willow
Blackgum	Dogwood: Cloud nine, Flowering, Kouasa	Fir: Balsam, Douglas, White	Magnolia	Mesquite, Chilean	Scarlet, Willow	Red Cedar, Eastern	Norway, Repens- spreading Norway, White	
Bottle tree	Elm, Chinese	Florida anise tree	Mahogany	Mulberry, White	Palm: Mexican fan, Parlor, Queen	Sequoia, Giant	spreading Norway, White	
Carrot wood	Eucalyptus: Mealy,	Ginkgo-maidenhair tree	Maple: Albus-flowering, Flame, Luteus-flowering, Norway, Red, Red	Oak: Bear, Live, Pin, Red, Scarlet, Willow		Sourwood	Sweetgum, American	
Cherry, Yoshino flowering		Hawthorn, Green	Sunset, Roseus-flowering,			Spruce: Colorado, Dwarf Alberta, Dwarf globe blue, Glauca-Colorado blue,	Sycamore: American, California	
Coolibah tree		Hemlock: Canada, Eastern				Tab, Yellow		
Cottonwood		Larch, Japanese						

Nonbearing Fruit and Nut Trees and Plants *

Almond	Blackberry	Crabapple	Filbert	Lemon	Orange	Plum	Tangerine
Apple	Blueberry	Currant	Gooseberry	Loganberry	Peach	Pomegranate	Walnut: Black, English
Apricot	Carob	Dewberry	Grape: American, European	Macadamia nut	Pear	Prune	
Avocado	Cherry: Sweet, Sour	Elderberry	Grapefruit	Nectarine	Pecan	Raspberry	
Banana	Chestnut, Chinese	Fig	Kiwi	Olive: Black, Russian	Pistachio	Tangelo	

* Non-bearing fruit, nut trees and non-bearing plants are defined as plants that will not bear fruit for at least one year after treatment.

WHEN TO APPLY

Preen Mulch with Extended Control Weed Preventer¹ prevents weeds from germinating in flower gardens, and around ground covers, trees and shrubs. Apply Preen Mulch with Extended Control Weed Preventer¹ during the growing season around established plants and transplants. **Do not use Preen Mulch with Extended Control Weed Preventer¹ on flower and vegetable seeds.** It can be used after flowering plants have germinated and are 2-3 inches tall. Since it does not kill existing weeds, you must first remove any that have already begun to grow. By applying Preen Mulch with Extended Control Weed Preventer¹ as early as possible, you can eliminate the need for hand weeding. Without weeds, your valuable plants can grow larger and stronger. Your beds will stay neat and weed-free all season long!

Rain does not wash this product out of the mulch. To keep ornamental beds weed-free all season, reapply Preen Mulch with Extended Control Weed Preventer¹ every 4 months.

HOW TO APPLY

Spread Preen Mulch with Extended Control Weed Preventer¹ over the area to a depth of two inches. Do not plant flowers directly into mulch. If additional planting is desired after Preen Mulch with Extended Control Weed Preventer¹ has been applied, first remove the mulch from the selected area. Avoid getting treated mulch in the planting hole. Once the plant is firmly embedded in the soil, replace the mulch around the plant.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of reach of children and animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY

The manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability of fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and to the extent consistent with applicable law, Buyer assumes the risk of any such use.

PREEN GUARANTEE

To the extent consistent with applicable law, Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland St., Lebanon, PA 17042.

***See Use Directions for complete list of treated weeds.**

EPA Reg No 961-409-79631

Trifluralin CAS No. 1582-09-8


NET CONTENTS: 2 CU. FT. (56.63L)

NET WEIGHT 30 LBS. (13.608 KG)

COVERS 12 SQ. FT.

Fill is by volume. Some settling may occur during shipment.


CERTIFIED PRODUCT

	Premium Potting Soil
	Standard Potting Soil
	Landscape Soil & Soil Amendment
	Specialty Soils
	<input checked="" type="checkbox"/> Mulch

This product has been registered and tested for conformance to the standards of the Mulch & Soil Council for the indicated product category. The Mulch & Soil standards do not contain a product category for pesticides, and this certification mark does not apply to pesticide claims. For more information, refer to the MSC website at www.mulchandsoilcouncil.org.

Distributed by:
Oldcastle Lawn & Garden, Inc.
P.O. Box 468567
Atlanta, GA 31146
U.S.A.
www.myoldcastle.com

	1-800-233-1067
www.preen.com	



PROOF OF PURCHASE
COMPROBANTE DE COMPRA

(QT) (WY) (SP) (MN) (BR)
EPA Est. No. 79631-PA-001; 79631-RI-001; 79631-NJ-001; 79631-NY-001; 79631-NY-002;

Superscript used is first two letters of lot number.

**DECLARACIONES DE PRECAUCIÓN
RIESGOS PARA SERES HUMANOS Y ANIMALES DOMÉSTICOS
PRECAUCIÓN**

Provoca una irritación moderada. Evite el contacto con los ojos o la ropa. Lávese bien con agua y jabón después de manipular el producto y antes de comer, beber, masticar chicle o usar tabaco. Use: Camisa de mangas largas y pantalones largos, medias, zapatos y guantes. El contacto prolongado o repetido con la piel puede causar reacciones alérgicas en algunas personas.

RECOMENDACIONES DE SEGURIDAD: Los usuarios deben lavarse las manos antes de comer, beber, comer goma de mascar, consumir tabaco o usar el baño. Si el producto ingresa en la ropa, el usuario debe quitársela de inmediato. Luego, lavarse bien y colocarse ropa limpia.

PRIMEROS AUXILIOS

SI ENTRA EN CONTACTO CON LOS OJOS:	<ul style="list-style-type: none">• Mantenga los ojos abiertos y enjuáguelos lenta y suavemente con agua durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos.• Llame a un centro de control de tóxicos o a un médico para obtener asesoramiento sobre el tratamiento.
SI SE INGIERE:	<ul style="list-style-type: none">• Llame inmediatamente a un centro de control de tóxicos o a un médico para obtener asesoramiento sobre el tratamiento.• Haga que la persona tome agua si puede tragar.• No induzca el vómito, a menos que se lo indique un médico o el centro de control de tóxicos.• No administre nada por vía oral a una persona inconsciente.
SI ENTRA EN CONTACTO CON LA PIEL O SI ESTÁ EN LA ROPA:	<ul style="list-style-type: none">• Quítese la ropa contaminada• Enjuague inmediatamente la piel con abundante agua durante 15 a 20 minutos.• Llame a un centro de control de tóxicos o a un médico para obtener asesoramiento sobre el tratamiento.
SI SE ASPIRA:	<ul style="list-style-type: none">• Lleve la persona a un lugar con aire fresco.• Si la persona no respira, llame al 911 o una ambulancia, luego administre respiración artificial, preferentemente boca a boca, si es posible.• Llame a un centro de control de tóxicos para obtener asesoramiento adicional sobre el tratamiento.
Cuando llame a un centro de control de envenenamientos o a un médico, o busque tratamiento, tenga a mano el envase o la etiqueta del producto. Para obtener información sobre emergencias médicas, llame al (888) 208-1368.	

RIESGOS AMBIENTALES

Este pesticida es extremadamente tóxico para la vida acuática de agua dulce, peces de estuario e invertebrados acuáticos, incluidos camarones y ostras. No lo aplique de manera que pueda contaminar canales, lagos, arroyos, charcos, pantanos o estuarios debido a la dispersión por corrientes de aire. No contamine el agua al eliminar las aguas con que limpió el equipo. No lo aplique directamente en el agua.

INSTRUCCIONES DE USO

Es una violación a la ley federal utilizar este producto de manera contraria a lo establecido/indicado en la etiqueta.

LEA LA ETIQUETA ANTES DE USAR ESTE PRODUCTO. Use sólo de acuerdo a las instrucciones. Antes de comprar este producto, lea la sección de Garantía en otra parte de esta etiqueta. Si los términos no son aceptables, devuelva el envase sin abrir al lugar de compra a la vez.

INFORMACIÓN DEL PRODUCTO:

Este producto para el jardín contiene compuesto orgánico de primera calidad, como madera dura, pino, cedro y ciprés o una combinación de ellos junto con un herbicida de preemergencia de larga duración. Una aplicación de Preen Mulch Plus^{®1} proporciona 4 meses de control de malezas de hoja ancha*, pastos anuales y mantos ornamentales.

Además, ayuda a que las áreas de paisajismo conserven la humedad, lo que protege las plantas, árboles y arbustos frente a las temperaturas extremas.

Preen Mulch Plus^{®1} proporciona un mayor control de maleza* en comparación con los compuestos orgánicos comunes, cuando se usa según las instrucciones. Este compuesto orgánico contiene productos naturales del bosque y no contiene desechos de madera reciclada. Estos materiales son ideales para los compuestos orgánicos puesto que se degradan de manera natural con el tiempo, lo que los convierte en una valiosa materia orgánica.

REGISTRO DEL PRODUCTO

PARA USO RESIDENCIAL AL AIRE LIBRE.

No utilizar en el césped.

RESTRICCIONES DE LA APLICACIÓN: No aplique el producto de ninguna forma que pueda entrar en contacto con personas o mascotas, ya sea en forma directa o indirecta. Mantenga a las personas y mascotas fuera del área durante la aplicación.

RESTRICCIONES DE ENTRADA: No permita que las personas o mascotas ingresen al área tratada hasta que el polvo se haya asentado.

USE GANTES PARA LA MANIPULACIÓN.

No aplique cerca de albercas con peces, estanques, arroyos o lagos.

No use el compuesto orgánico cerca de agujas, arrayanes ni pachisandras hasta que estén bien adaptadas ya que puede producir daños.

No usar con plantas distintas de las que se mencionan en esta etiqueta.

No aplique sobre flores o semillas de hortalizas.

Para evitar posibles manchas en superficies no deseadas, por ejemplo: Concreto, caminos de piedra, superficies de vinilo, etc., barra los restos de producto que queden dispersos lo antes posible.

NO APTO PARA USO EN PLANTAS QUE SE CULTIVAN PARA LA VENTA U OTRO USO COMERCIAL O PARA LA PRODUCCIÓN COMERCIAL DE SEMILLAS O FINES DE INVESTIGACIÓN, PARA USO EN PLANTAS DESTINADAS A FINES ESTÉTICOS O DE MODIFICACIÓN CLIMÁTICA Y QUE SE CULTIVAN EN JARDINES ORNAMENTALES.

MALEZAS ANUALES CONTROLADAS

Malezas herbosas: Cebada silvestre; capín arroz (zacate de agua); césped azul, anual; bromo; bromo secalino; digitaria; eriochla: Del sudoeste, villosa; festuca, cola de ratón; cola de zorro; zacate guinea; pata de gallina; césped Johnson (de semilla); arrocillo silvestre; amor seco; avena silvestre; panicum: Otoño de Texas; rosetilla; sorgo; pasto barrera (brachiaria); leptochloa; zacate apestoso; caña brava; zacate brujo.

Malezas de hoja ancha: Quintonil tropical; culantrillo; pamplina; quenopodio; ortiga muerta; lengua de pájaro; pinillo; cenizo; ortiga romana; bledo; abrojo (sólo en el oeste de EE.UU.); verdolaga; ipecacuana de Florida; cardo ruso.

SE RECOMIENDA EL USO DE PREEN MULCH PLUS®1 ALREDEDOR DE ESTAS PLANTAS

Bulbos, flores, hierbas, cubiertas vegetales y céspedes ornamentales:

Hipérico	Gazania amarilla	Dalia	Geranio	rastrera, rastrera rósea, blanca	Lupino	Amapola California	Estátice
Aliso	Cárex variegado	Margarita: Africana, pintada, Shasta, africana rastrera	Camedrio	Alegría de la casa	Clavel moro	Portulaca	Matthiola
Artotis	Clavel	Hierba del clavo	Hierba del clavo	Lirio bulboso	Caléndula del Cabo	Jara	Uva de gato (Sedo)
Aster (perenne)	Bugula (Ajuga)	Gladiolo (bulbo de más de 2,54 cm de diámetro)	Gladiolo (bulbo de más de 2,54 cm de diámetro)	Hiedra: De Argelia, de California, inglesa, punta de aguja	(Dimorphotheca)	Rosa	Frambuesa Beach
Stokesia	Ceanoto	Rudbeckia amplia	Césped: Amofila, convalaria enana, eulalia, penisetum chino, rompe piedra, convalaria, de la Pampa, falaris,Zoysia; Guara; Hakonechloa Golden	Dondiego de día	Mioporo	Romero	Girasol
Aliento de bebé	Centaurea gymnocarpa	Senecio cineraria	Malva real	Narciso	Mastuerzo	Rudbeckia	Aliso dulce
Bálsamo	Crisantemo	Esparraguera	Hosta albo-marginata	Peter Pan enano	Tabaco ornamental	Herniaria	Guisante de olor
Penstemon	Equinácea púrpura	Festuca azul	Jacinto	Petunia	Onagra	Salvia rusa	Centaurea moschata
Bergamota silvestre	Coral bells	Agerato (Agerantum)	Delosperma: De hoja grande,	Flox	Vinca	Salvia	Clavel del poeta
Begonia	Heuchera	Nomeolvides		Azucena del Nilo	Peter Pan enano	Ajenjo	Armeria
Campanilla	Aciano púrpura	Cincoenrama		Lobelia	Petunia	Boca de dragón	Coreopsis
Rudbeckia	Cosmos	Cleyera japonesa			Flox	Cerastio	Tulipán
Dicentra	Cotoneaster	Cotoneaster: Bearberry, Arándano de los Himalayas, Praecox (temprana), Pirineos, Roca, Zabel			Viuda (Scabiosa)	Nieve en la montaña	Verbena
Pistacho chino	Arbusto coyote enano	Arbusto coyote			Celestina enana	Verónica	Muehlenbeckia
Caléndula	Coronilla varia	Ciprés: Filifera roscada, Kosteri, Hinoki enano, Torulosa				Diamante	Enredadera de alambre
Calliopsis	Narciso	Daphne olorosa				Hierba de San Juan	Yarrow (Achillea)
		Deucia					Zinnia
Arbustos:		Cornejo: Osier baileyi rojo, Flaviramea-yellowtwig, Siberiano					
Abelia: Edward Goucher, Grandiflora	divino Woods enano	Eleagno	Évónimo: Canadale, Emerald'n gold, Silver king, Spreading, Sunspot, Evergreen variegado, con alas, bonetero rastrero	Lonicera: Del Cabo, Trumpet	japonés, japonés enano	Monruce, Enchantress-Moness, de hoja redonda, Springtime-Monme	Vanhoutte
Acacia: Abisinia, postrada, Shoestring	Agracejo rojo: Atropurpurea Japonés, Aurea-golden Japonés, Crimson pygmy, Japonés, mento, rose glow, Agracejo William Penn	Abeto: Balsam, Douglas, blanco	Helecho: Borla, japonés, pintado	Dodonea	Celinda	Rosa	Zumaque africano
Andrómeda japonesa	Limpiatubos: Lemon, lorón	Anís estrellado americano	Espinas de fuego (Pyracantha)	Ixora	Mirto: Árbol de Júpiter, del pantano	Rododendro	Clethra alnifolia
Tuya: Americana, aureus nana (golden enana), esmeralda, Globosa, pequeña enana gigante, minima glauca enana, thuja occidentalis nigra oscuro Americana, Piramidalis, Rheingold, Techny	Bugambilia: Barbara Karst, California gold, Pink pixie, Scarlett O'Hara, Temple fire, Texas dawn	Ginkgo	Forsitia	Jazmín de Carolina	Adelfa: Hardy Red, Ruby Lace	Robira	Henry Garnet hoja de acebo
Azalea	Boj: Común, Harlands, japonés, coreano, Littleleaf	Espino indio	Gardenia: Belleza de agosto, Mystery, Radican	Junípero	Osmanthus fortunei	Rosa	Viburno
Bambú: Compacta enana, Divino Harbour enano, divino, divino compacto enano, divino púrpura enano,	Retama: Hollanda-warminster, Lena scotch	Brezo: Codornices, Purple bell, Mediterranean pink, Spring torch scotch	Feijoa	Lantana	Palma: Areca, Chinese fountain, Christmas, Pigmy Date, Sago	Rosa , Ramanas	Weigela
	Camelia: Japonesa, Sasanqua	Hibisco Ross Estey	Magnolia	Laurel: Cerezo americano, Montaña	Fotinia de Fraser	Rosa de Siria: Red Heart pájaro, Woodbridge	Willow
	Casia plumosa	Acebo	Caoba	Hoja: Copper, Salal/lemon	Andrómeda japonesa	Sakaki	Genista
				Leucothoe: Coast, Drooping	Pino Mugo	Eleagno	Parra virgen: En floración, Serotina
				Lila: Común, china, silvestre	Pitosporo: Verde, Japonés, Wheeler's enano	Esquimia: Japonesa, Reeve's	Espina corona
				Azucena del valle: Forest	Celestina	Árbol del humo: Royal purple, Coral beauty, Eichholz	Tejo: Anglojaponés, Plum, erguido
				Mahonia: Rastrera, hoja de cuero	Aligustre	Espirea: Anthony Waterer, Bridal wreath, Dolchia, Falsa, Alpina japanese, Shirobana,	Tejo chino
				Arce: Del amor, corteza coral	Cedro rojo oriental		Yuca
					Rhaphiolepis: Charisma-		

Árboles:

Fresno: Shamel, blanco	Filicoides Fern Spray,	Ficus miniatura	Magnolia	Moral blanco	oriental, Aígano, negro	Oxydendrum arboreum	Plátano de sombra:
Abedul: Europeo blanco, abedul americano, abedul de río	Hinoki Gracilis Slender Squarrosa-moss, Swara falso	Abeto: Balsam, Douglas, blanco	Caoba	Roble: Quercus ilicifolia, roble de virginia, pin, rojo Scarlet, Willow	japonés, de incienso, Monterey, Pumilio-shrubby suizo de montaña rojo, Scotch, Costero	Falso abeto: Colorado, enano Alberta, azul Globe enano, azul Colorado	Americana, California
Tupelo	Cornejo: Comejo florido, en floración, Kousa	Anís estrellado americano	Arce: Blanco en floración	Palma: Mexicana, Parlor, Queen	rojo, Scotch, Costero	Blue, azul Hoopsii-Hoop's, azul Koster-Koster,	Tab amarillo
Árbol botella	Olmo chino	Ginkgo	Llama, abutilón Luteus, Noruega, rojo, rojo	Pino: Austríaco, Beach, de Bosnia, Bristlecone, Palmera canaria, Columnar Scotch, blanco	rojo, Scotch, Costero	Noruega, pendula-lorón	Toyon
Styphelia Richei	Eucalipto: Mealy, eucalipto rojo, eucaliptus tricarpa, Silver dollar	Espino verde	Sunset, abutilón Roseus, Silver, Sugar, Tangerine en floración, Vesuvius rojo en floración		Plátano de Londres	Rastrero Noruega	Tulipanero
Cerezo Yoshino en floración		Cicuta: Canadá, oriental	Robinia: Negro, miel, Shademaster miel		Podocarp	Noruega, blanco	Willow
Coolabah		Alerce japonés			Árbol del amor oriental		
Álamo		Tilo			Cedro rojo oriental		
Ciprés: Arizona, calvo,		Manzano silvestre	Avellano	Limonero	Secoya gigante	Liquidámbar americano	
		Pasa de Corinto	Grosellero	Frambueso de Logan			Plum
		Zarza	Parra: Americana, europea	Nogal de macadamia			Granado
		Sáuco rojo	Pomelo	Nectarino			Ciruelo pasa
		Fig	Kiwi	Olivo: Negro, ruso			Frambuesa
							Tangelo

Árboles y plantas que no producen frutos o frutos secos*

Almendra	Moral negro	Manzano silvestre	Avellano	Limonero	Anaranjado	Plum	Mandarino
Manzano	Arándano	Pasa de Corinto	Grosellero	Frambueso de Logan	Melocotonero	Granado	Nogal: Negro, inglés
Albaricoquero	Ararobo	Zarza	Parra: Americana, europea	Nogal de macadamia	Peral	Ciruelo pasa	
Aguacate	Cerezo: Dulce, agrio	Sáuco rojo	Pomelo	Nectarino	Pecan	Frambuesa	
Banano	Castaño chino	Fig	Kiwi	Olivo: Negro, ruso	Pistachio	Tangelo	

*Las plantas y árboles que no producirán frutos son plantas que no tendrán frutos durante al menos un año después del tratamiento.

CUÁNDO APLICAR

Preen Mulch Plus®1 evita la germinación de la mayoría de las malezas en jardines de flores y alrededor de cubiertas vegetales, árboles y arbustos. Aplique Preen Mulch Plus®1 durante la temporada de crecimiento alrededor de plantas crecidas y plantas trasplantadas. No use Preen Mulch Plus®1 en semillas de plantas florales u hortalizas. Se puede usar después de que las plantas en floración hayan germinado y tengan de 5,08 a 7,62 cm de alto. Dado que no mata las malezas existentes, deberá quitar primero cualquier maleza que haya comenzado a crecer. Al aplicar Preen Mulch Plus®1 lo antes posible, podrá eliminar la necesidad de desmalezar manualmente. Sin malezas, sus valiosas plantas podrán crecer más grandes y fuertes. ¡Sus macizos se mantendrán arreglados y libres de malezas toda la temporada!

La lluvia no elimina este producto del compuesto orgánico. Para mantener los mantos ornamentales libres de malezas en toda la temporada, vuelva a aplicar Mulch Plus®1 cada 4 meses.

CÓMO APLICAR

Esparza Preen Mulch Plus®1 sobre el área a una profundidad de 5,08 cm. No plante flores directamente en el compuesto orgánico. Si desea plantar algo después de haber aplicado Preen Mulch Plus®1 primero retire el compuesto orgánico del área seleccionada. Evite que caiga compuesto orgánico tratado en el orificio que usará para plantar. Una vez que la planta esté firmemente enterrada en el suelo, coloque el compuesto orgánico alrededor de ella.

ALMACENAJE Y ELIMINACIÓN

No contamine el agua, los alimentos o alimentos para animales al almacenarlo o eliminarlo.

ALMACENAMIENTO DEL PESTICIDA: Almacene el producto en su envase original en un lugar fresco, seco, cerrado con llave, fuera del alcance de los niños y animales.

ELIMINACIÓN DEL PESTICIDA Y MANIPULACIÓN DEL ENVASE: Envase que no se puede rellenar. No vuelva a usar ni llenar este envase. **Si está vacío:** Colóquelo en la basura o, si está disponible, ofrézcalo para reciclaje. **Si está parcialmente lleno:** Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminar el producto. Nunca vierta el producto sin usar en un desagüe de interiores o exteriores.

GARANTÍA

El fabricante garantiza que este producto se ajusta a su descripción química y es razonablemente adecuado para el propósito indicado en la etiqueta cuando se usa según las instrucciones en condiciones de uso normales, pero esta garantía ni ninguna otra garantía de comerciabilidad o adecuación para un fin en particular, ya sea expresa o implícita, se extiende al uso de este producto de manera contraria a las instrucciones indicadas en la etiqueta o en condiciones anormales que no puedan ser previstas de manera razonable por el Fabricante, en cuyo caso, el Comprador asume el riesgo en la medida en que lo permita la ley vigente.

GARANTÍA PREEN

En la medida en que lo permita la ley vigente, Lebanon Seaboard Corporation le garantiza que, si usted no queda satisfecho con el producto luego de usarlo como se indica, se le reembolsará su dinero. Si no queda satisfecho, haga una descripción de la naturaleza del problema y envíela con el comprobante de compra a Lebanon Seaboard Corporation, 1600 East Cumberland St., Lebanon, PA 17042.

* **Vea las Instrucciones de uso para la lista completa de las malezas tratadas.**

PRECAUCIÓN

MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS

El color dura todo el año

Evita que crezca la maleza* hasta por 4 meses. ¡Garantizado!

Preen y Mulch Plus son marcas registradas de Lebanon Seaboard Corporation

CERTIFIED PRODUCT

	Tierra superior para macetas
	Tierra estándar para macetas
	Tierra para el césped y el jardín y enmiendas para la mejora de la tierra
	Tierra de especialidad
	✓ Pajote

Este producto se ha registrado y ha sido probado para la conformidad a los estándares del Mulch & Soil Council para la categoría indicada del producto. Los estándares del Mulch & Soil Council no contienen una categoría del producto para pesticidas, y para esta marca de la certificación no aplica a reclamos de pesticida. Para más información, refiérase a www.mulchandsoilcouncil.org.

Distribuido por:

Oldcastle Lawn & Garden, Inc.

P.O. Box 468567

Atlanta, GA 31146

U.S.A.

www.myoldcastle.com

INGREDIENTE ACTIVO:

Trifluralina0,0032%

OTROS INGREDIENTES: 99,9968%

TOTAL 100,0000%

CONTENIDO NETO: 2 pies³ (0,056 m³)

PESO NETO 30 LBS. (13,6 KG)

CUBRE 12 PIES² (1,11 m²)

El llenado es por volumen.

Puede que se produzca asentamiento durante el envío.

EPA Reg No 961-409-79631

Trifluralina CAS No. 1582-09-8

(QT) (WY) (SP) (MN) (BR)
EPA Est No 79631-PA-001; 79631-RI-001; 79631-NJ-001; 79631-NY-001; 79631-NY-002;

El superíndice usado son las dos primeras letras del número de lote.